



LIPOSUCTION CATALOG



Whatsapp & Call: +92 3034515151

sales@healermedinstruments.com
writetohealerm@gmail.com



Table of Contents

- A. Liposuction Cannulas
 - a) Infiltration Cannulas
 - b) General Suction Cannulas
 - c) Harvesting Cannulas
 - d) Injecting Cannulas
 - 3) Speciality Cannulas

- B. Accessories

- C. Our Specialized Sets

Cannula Hubs/Connections



Luer lock



Luer lock
(Stainless Steel)



Super Luer Lock



Treaded



60cc Tommey hub

Machine Connections



ML-1000.01

Cannulas and Harvesters as a complete instrument ready to use with an aspiration machine for liposuction and large volume fat harvesting procedures.

Fixed Handle

Let Us know if you could not find what you are looking for

Luer Lock Hub/Connector:

The universal Luer Lock hub enables cannula to attach directly with any Luer Lock Syringe.

Super Luer Lock Hub/Connector:

A modification to general Luer Lock hub which is more powerful, more stable, Leak proof, free from instability and contamination.

Threaded Hub/Connector:

Threaded connector hub style is used mostly for machine assisted Liposuction cannulas, Medicta's unique Light weight threaded cannula can also be used with ordinary syringe. All you need is Medicta's connector from threaded to Luer style.

60cc Tommey Hub/Connector:

An ideal hub style for surgeons why love to handle large fat volumes. This hub style connect cannula to a 60cc Tommey to syringe.

Fixed Handle Cannulas:

The unique design of handle offer powerful grip harvesting large volumes. You will feel amazingly comfortable ever after a long operational time.

The thumb grip provide a unique opportunity to control the thrust.




INFILTRATION CANNULAS

Infiltration Cannulas are designed for safe and effective delivery of tumescent solution. The spiral micro holes on cannula ensure an even distribution of local anesthetic which results in a longer anesthetic effect. This is less painful and more pleasant liposuction experience for patient.



Liposuction Skin ports
HMI-00-7 1 to 4mm
HMI-00-8 5 to 6mm



Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

HMI-LS-001	Ø2.5mm X 15 cm
HMI-LS-002	Ø2.5mm X 20 cm
HMI-LS-003	Ø3.0mm X 20 cm
HMI-LS-004	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-005	Ø2.5mm X 15 cm
HMI-LS-006	Ø3.0mm X 15 cm
HMI-LS-007	Ø3.0mm X 20 cm
HMI-LS-008	Ø3.0mm X 30 cm
HMI-LS-009	Ø4.0mm X 20 cm
HMI-LS-010	Ø4.0mm X 30 cm

Super Luer Lock

HMI-LS-011	Ø1.0mm X 5 cm
HMI-LS-012	Ø1.0mm X 7 cm
HMI-LS-013	Ø1.5mm X 7 cm
HMI-LS-014	Ø1.5mm X 9 cm

Luer lock

HMI-LS-015	Ø1.0mm X 4 cm
HMI-LS-016	Ø1.0mm X 5 cm
HMI-LS-017	Ø1.5mm X 7 cm
HMI-LS-018	Ø1.5mm X 9 cm
HMI-LS-019	Ø1.5mm X 10 cm
HMI-LS-020	Ø1.5mm X 12 cm
HMI-LS-021	Ø2.0mm X 10 cm
HMI-LS-022	Ø2.0mm X 12 cm
HMI-LS-023	Ø2.0mm X 15 cm
HMI-LS-024	Ø2.0mm X 20 cm
HMI-LS-025	Ø2.5mm X 15 cm
HMI-LS-026	Ø2.5mm X 20 cm
HMI-LS-027	Ø3.0mm X 15 cm
HMI-LS-028	Ø3.0mm X 20 cm

Luer lock (Stainless Steel)

HMI-LS-029	Ø1.0mm X 4 cm
HMI-LS-030	Ø1.0mm X 5 cm
HMI-LS-031	Ø1.0mm X 7 cm
HMI-LS-032	Ø1.5mm X 7 cm
HMI-LS-033	Ø1.5mm X 9 cm
HMI-LS-034	Ø1.5mm X 10 cm
HMI-LS-035	Ø1.5mm X 12 cm
HMI-LS-036	Ø2.0mm X 10 cm
HMI-LS-037	Ø2.0mm X 12 cm
HMI-LS-038	Ø2.0mm X 15 cm
HMI-LS-039	Ø2.0mm X 20 cm
HMI-LS-040	Ø2.5mm X 15 cm
HMI-LS-041	Ø2.5mm X 20 cm
HMI-LS-042	Ø3.0mm X 15 cm
HMI-LS-043	Ø3.0mm X 20 cm

Power Cannula

HMI-LS-044	Ø2.0mm X 15 cm
HMI-LS-045	Ø2.0mm X 20 cm
HMI-LS-046	Ø2.0mm X 25 cm
HMI-LS-047	Ø2.0mm X 30 cm
HMI-LS-048	Ø2.0mm X 35 cm
HMI-LS-049	Ø3.0mm X 15 cm
HMI-LS-050	Ø3.0mm X 20 cm
HMI-LS-051	Ø3.0mm X 25 cm
HMI-LS-052	Ø3.0mm X 30 cm
HMI-LS-053	Ø3.0mm X 35 cm
HMI-LS-054	Ø4.0mm X 15 cm
HMI-LS-055	Ø4.0mm X 20 cm
HMI-LS-056	Ø4.0mm X 25 cm
HMI-LS-057	Ø4.0mm X 30 cm
HMI-LS-058	Ø4.0mm X 35 cm
HMI-LS-059	Ø5.0mm X 15 cm
HMI-LS-060	Ø5.0mm X 20 cm
HMI-LS-061	Ø5.0mm X 25 cm
HMI-LS-062	Ø5.0mm X 30 cm
HMI-LS-063	Ø5.0mm X 35 cm
HMI-LS-064	Ø6.0mm X 15 cm
HMI-LS-065	Ø6.0mm X 20 cm
HMI-LS-066	Ø6.0mm X 25 cm
HMI-LS-067	Ø6.0mm X 30 cm
HMI-LS-068	Ø6.0mm X 35 cm



Tumescent Bayonet Infiltrator

The bayonet shaped handles allow an easier manipulation

60cc Tommey hub

HMI-LS-069	Ø2.0mm X 15 cm
HMI-LS-070	Ø2.5mm X 20 cm
HMI-LS-071	Ø3.0mm X 20 cm
HMI-LS-072	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-073	Ø2.0mm X 15 cm
HMI-LS-074	Ø3.0mm X 15 cm
HMI-LS-075	Ø3.0mm X 20 cm
HMI-LS-076	Ø3.0mm X 30 cm
HMI-LS-077	Ø4.0mm X 20 cm
HMI-LS-078	Ø4.0mm X 30 cm

Super Luer Lock

HMI-LS-079	Ø1.0mm X 5 cm
HMI-LS-080	Ø1.0mm X 7 cm
HMI-LS-081	Ø1.5mm X 7 cm
HMI-LS-082	Ø1.5mm X 9 cm

Luer lock

HMI-LS-083	Ø1.0mm X 4 cm
HMI-LS-084	Ø1.0mm X 5 cm
HMI-LS-085	Ø1.0mm X 7 cm
HMI-LS-086	Ø1.5mm X 7 cm
HMI-LS-087	Ø1.5mm X 9 cm
HMI-LS-088	Ø1.5mm X 10 cm
HMI-LS-089	Ø1.5mm X 12 cm
HMI-LS-090	Ø2.0mm X 10 cm
HMI-LS-091	Ø2.0mm X 12 cm
HMI-LS-092	Ø2.0mm X 15 cm
HMI-LS-093	Ø2.0mm X 20 cm
HMI-LS-094	Ø2.5mm X 15 cm
HMI-LS-095	Ø2.5mm X 20 cm
HMI-LS-096	Ø3.0mm X 15 cm
HMI-LS-097	Ø3.0mm X 20 cm


Luer lock (Stainless Steel)

HMI-LS-098	Ø1.0mm X 4 cm
HMI-LS-099	Ø1.0mm X 5 cm
HMI-LS-100	Ø1.0mm X 7 cm
HMI-LS-101	Ø1.5mm X 7 cm
HMI-LS-102	Ø1.5mm X 9 cm
HMI-LS-103	Ø1.5mm X 10 cm
HMI-LS-104	Ø1.5mm X 12 cm
HMI-LS-105	Ø2.0mm X 10 cm
HMI-LS-106	Ø2.0mm X 12 cm
HMI-LS-107	Ø2.0mm X 15 cm
HMI-LS-108	Ø2.0mm X 20 cm
HMI-LS-109	Ø2.5mm X 15 cm
HMI-LS-110	Ø2.5mm X 20 cm
HMI-LS-111	Ø3.0mm X 15 cm
HMI-LS-112	Ø3.0mm X 20 cm

Power Cannula

HMI-LS-113	Ø2.0mm X 15 cm
HMI-LS-114	Ø2.0mm X 20 cm
HMI-LS-115	Ø2.0mm X 25 cm
HMI-LS-116	Ø2.0mm X 30 cm
HMI-LS-117	Ø2.0mm X 35 cm
HMI-LS-118	Ø3.0mm X 15 cm
HMI-LS-119	Ø3.0mm X 20 cm
HMI-LS-120	Ø3.0mm X 25 cm
HMI-LS-121	Ø3.0mm X 30 cm
HMI-LS-122	Ø3.0mm X 35 cm
HMI-LS-123	Ø4.0mm X 15 cm
HMI-LS-124	Ø4.0mm X 20 cm
HMI-LS-125	Ø4.0mm X 25 cm
HMI-LS-126	Ø4.0mm X 30 cm
HMI-LS-127	Ø4.0mm X 35 cm
HMI-LS-128	Ø5.0mm X 15 cm
HMI-LS-129	Ø5.0mm X 20 cm
HMI-LS-130	Ø5.0mm X 25 cm
HMI-LS-131	Ø5.0mm X 30 cm
HMI-LS-132	Ø5.0mm X 35 cm
HMI-LS-133	Ø6.0mm X 15 cm
HMI-LS-134	Ø6.0mm X 20 cm
HMI-LS-135	Ø6.0mm X 25 cm
HMI-LS-136	Ø6.0mm X 30 cm
HMI-LS-137	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Tumescent Infiltrator Angled

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

HMI-LS-138	Ø2.0mm X 15 cm
HMI-LS-139	Ø2.5mm X 20 cm
HMI-LS-140	Ø3.0mm X 20 cm
HMI-LS-141	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-142	Ø2.0mm X 15 cm
HMI-LS-143	Ø3.0mm X 15 cm
HMI-LS-144	Ø3.0mm X 20 cm
HMI-LS-145	Ø3.0mm X 30 cm
HMI-LS-146	Ø4.0mm X 20 cm
HMI-LS-147	Ø4.0mm X 30 cm

Super Luer Lock

HMI-LS-148	Ø1.0mm X 5 cm
HMI-LS-149	Ø1.0mm X 7 cm
HMI-LS-150	Ø1.5mm X 7 cm
HMI-LS-151	Ø1.5mm X 9 cm

Luer lock

HMI-LS-152	Ø1.0mm X 4 cm
HMI-LS-153	Ø1.0mm X 5 cm
HMI-LS-154	Ø1.0mm X 7 cm
HMI-LS-155	Ø1.5mm X 7 cm
HMI-LS-156	Ø1.5mm X 9 cm
HMI-LS-157	Ø1.5mm X 10 cm
HMI-LS-158	Ø1.5mm X 12 cm
HMI-LS-159	Ø2.0mm X 10 cm
HMI-LS-160	Ø2.0mm X 12 cm
HMI-LS-161	Ø2.0mm X 15 cm
HMI-LS-162	Ø2.0mm X 20 cm
HMI-LS-163	Ø2.5mm X 15 cm
HMI-LS-164	Ø2.5mm X 20 cm
HMI-LS-165	Ø3.0mm X 15 cm
HMI-LS-166	Ø3.0mm X 20 cm


Luer lock (Stainless Steel)

HMI-LS-167	Ø1.0mm X 4 cm
HMI-LS-168	Ø1.0mm X 5 cm
HMI-LS-169	Ø1.0mm X 7 cm
HMI-LS-170	Ø1.5mm X 7 cm
HMI-LS-171	Ø1.5mm X 9 cm
HMI-LS-157	Ø1.5mm X 10 cm
HMI-LS-172	Ø1.5mm X 12 cm
HMI-LS-173	Ø2.0mm X 10 cm
HMI-LS-174	Ø2.0mm X 12 cm
HMI-LS-175	Ø2.0mm X 15 cm
HMI-LS-176	Ø2.0mm X 20 cm
HMI-LS-177	Ø2.5mm X 15 cm
HMI-LS-178	Ø2.5mm X 20 cm
HMI-LS-179	Ø3.0mm X 15 cm
HMI-LS-180	Ø3.0mm X 20 cm

Power Cannula

HMI-LS-181	Ø2.0mm X 15 cm
HMI-LS-182	Ø2.0mm X 20 cm
HMI-LS-183	Ø2.0mm X 25 cm
HMI-LS-184	Ø2.0mm X 30 cm
HMI-LS-185	Ø2.0mm X 35 cm
HMI-LS-186	Ø3.0mm X 15 cm
HMI-LS-187	Ø3.0mm X 20 cm
HMI-LS-188	Ø3.0mm X 25 cm
HMI-LS-189	Ø3.0mm X 30 cm
HMI-LS-190	Ø3.0mm X 35 cm
HMI-LS-191	Ø4.0mm X 15 cm
HMI-LS-192	Ø4.0mm X 20 cm
HMI-LS-193	Ø4.0mm X 25 cm
HMI-LS-194	Ø4.0mm X 30 cm
HMI-LS-195	Ø4.0mm X 35 cm
HMI-LS-196	Ø5.0mm X 15 cm
HMI-LS-197	Ø5.0mm X 20 cm
HMI-LS-198	Ø5.0mm X 25 cm
HMI-LS-199	Ø5.0mm X 30 cm
HMI-LS-200	Ø5.0mm X 35 cm
HMI-LS-201	Ø6.0mm X 15 cm
HMI-LS-202	Ø6.0mm X 20 cm
HMI-LS-203	Ø6.0mm X 25 cm
HMI-LS-204	Ø6.0mm X 30 cm
HMI-LS-205	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Facelift Infiltration Cannula

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommey hub

HMI-LS-206	Ø2.0mm X 15 cm
HMI-LS-207	Ø2.5mm X 20 cm
HMI-LS-208	Ø3.0mm X 20 cm
HMI-LS-209	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-210	Ø2.0mm X 15 cm
HMI-LS-211	Ø3.0mm X 15 cm
HMI-LS-212	Ø3.0mm X 20 cm
HMI-LS-213	Ø3.0mm X 30 cm
HMI-LS-214	Ø4.0mm X 20 cm
HMI-LS-215	Ø4.0mm X 30 cm

Super Luer Lock

HMI-LS-216	Ø1.0mm X 5 cm
HMI-LS-217	Ø1.0mm X 7 cm
HMI-LS-218	Ø1.5mm X 7 cm
HMI-LS-219	Ø1.5mm X 9 cm

Luer lock

HMI-LS-220	Ø1.0mm X 4 cm
HMI-LS-221	Ø1.0mm X 5 cm
HMI-LS-222	Ø1.0mm X 7 cm
HMI-LS-223	Ø1.5mm X 7 cm
HMI-LS-224	Ø1.5mm X 9 cm
HMI-LS-225	Ø1.5mm X 10 cm
HMI-LS-226	Ø1.5mm X 12 cm
HMI-LS-227	Ø2.0mm X 10 cm
HMI-LS-228	Ø2.0mm X 12 cm
HMI-LS-229	Ø2.0mm X 15 cm
HMI-LS-230	Ø2.0mm X 20 cm
HMI-LS-231	Ø2.5mm X 15 cm
HMI-LS-232	Ø2.5mm X 20 cm
HMI-LS-233	Ø3.0mm X 15 cm
HMI-LS-234	Ø3.0mm X 20 cm

Luer lock (Stainless Steel)

HMI-LS-235	Ø1.0mm X 4 cm
HMI-LS-236	Ø1.0mm X 5 cm
HMI-LS-237	Ø1.0mm X 7 cm
HMI-LS-238	Ø1.5mm X 7 cm
HMI-LS-239	Ø1.5mm X 9 cm
HMI-LS-240	Ø1.5mm X 10 cm
HMI-LS-241	Ø1.5mm X 12 cm
HMI-LS-242	Ø2.0mm X 10 cm
HMI-LS-243	Ø2.0mm X 12 cm
HMI-LS-244	Ø2.0mm X 15 cm
HMI-LS-245	Ø2.0mm X 20 cm
HMI-LS-246	Ø2.5mm X 15 cm
HMI-LS-247	Ø2.5mm X 20 cm
HMI-LS-248	Ø3.0mm X 15 cm
HMI-LS-249	Ø3.0mm X 20 cm

Power Cannula

HMI-LS-250	Ø2.0mm X 15 cm
HMI-LS-251	Ø2.0mm X 20 cm
HMI-LS-252	Ø2.0mm X 25 cm
HMI-LS-253	Ø2.0mm X 30 cm
HMI-LS-254	Ø2.0mm X 35 cm
HMI-LS-255	Ø3.0mm X 15 cm
HMI-LS-256	Ø3.0mm X 20 cm
HMI-LS-257	Ø3.0mm X 25 cm
HMI-LS-258	Ø3.0mm X 30 cm
HMI-LS-259	Ø3.0mm X 35 cm
HMI-LS-260	Ø4.0mm X 15 cm
HMI-LS-261	Ø4.0mm X 20 cm
HMI-LS-262	Ø4.0mm X 25 cm
HMI-LS-263	Ø4.0mm X 30 cm
HMI-LS-264	Ø4.0mm X 35 cm
HMI-LS-265	Ø5.0mm X 15 cm
HMI-LS-266	Ø5.0mm X 20 cm
HMI-LS-267	Ø5.0mm X 25 cm
HMI-LS-268	Ø5.0mm X 30 cm
HMI-LS-269	Ø5.0mm X 35 cm
HMI-LS-270	Ø6.0mm X 15 cm
HMI-LS-271	Ø6.0mm X 20 cm
HMI-LS-272	Ø6.0mm X 25 cm
HMI-LS-273	Ø6.0mm X 30 cm
HMI-LS-274	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



GENERAL SUCTION CANNULA

General suction cannula are ideal tool for large volume Harvesting with ease perfection.

These cannulas are designed to facilitate you to get perfectly designed goals in minimum time.



Stevens Style Cannula

60cc Tommey hub

HMI-LS-275	Ø2.0mm X 15 cm
HMI-LS-276	Ø2.5mm X 20 cm
HMI-LS-277	Ø3.0mm X 20 cm
HMI-LS-278	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-279	Ø3.0mm X 20 cm
HMI-LS-280	Ø3.0mm X 30 cm
HMI-LS-281	Ø4.0mm X 30 cm
HMI-LS-282	Ø5.0mm X 30 cm
HMI-LS-283	Ø6.0mm X 30 cm

Super Luer Lock

HMI-LS-284	Ø1.0mm X 5 cm
HMI-LS-285	Ø1.0mm X 7 cm
HMI-LS-286	Ø1.5mm X 7 cm
HMI-LS-287	Ø1.5mm X 9 cm

Luer lock


HMI-LS-289	Ø1.0mm X 4 cm
HMI-LS-290	Ø1.0mm X 5 cm
HMI-LS-291	Ø1.0mm X 7 cm
HMI-LS-292	Ø1.5mm X 7 cm
HMI-LS-293	Ø1.5mm X 9 cm
HMI-LS-294	Ø1.5mm X 10 cm
HMI-LS-295	Ø1.5mm X 12 cm
HMI-LS-296	Ø2.0mm X 10 cm
HMI-LS-297	Ø2.0mm X 12 cm
HMI-LS-298	Ø2.0mm X 15 cm
HMI-LS-299	Ø2.0mm X 20 cm
HMI-LS-300	Ø2.5mm X 15 cm
HMI-LS-301	Ø2.5mm X 20 cm
HMI-LS-302	Ø3.0mm X 15 cm
HMI-LS-303	Ø3.0mm X 20 cm

Luer lock (Stainless Steel)

HMI-LS-304	Ø1.0mm X 4 cm
HMI-LS-305	Ø1.0mm X 5 cm
HMI-LS-306	Ø1.0mm X 7 cm
HMI-LS-307	Ø1.5mm X 7 cm
HMI-LS-308	Ø1.5mm X 9 cm
HMI-LS-309	Ø1.5mm X 10 cm
HMI-LS-310	Ø1.5mm X 12 cm
HMI-LS-311	Ø2.0mm X 10 cm
HMI-LS-312	Ø2.0mm X 12 cm
HMI-LS-313	Ø2.0mm X 15 cm
HMI-LS-314	Ø2.0mm X 20 cm
HMI-LS-315	Ø2.5mm X 15 cm
HMI-LS-316	Ø2.5mm X 20 cm
HMI-LS-317	Ø3.0mm X 15 cm
HMI-LS-318	Ø3.0mm X 20 cm

Power Cannula

HMI-LS-319	Ø2.0mm X 15 cm
HMI-LS-320	Ø2.0mm X 20 cm
HMI-LS-321	Ø2.0mm X 25 cm
HMI-LS-322	Ø2.0mm X 30 cm
HMI-LS-323	Ø2.0mm X 35 cm
HMI-LS-324	Ø3.0mm X 15 cm
HMI-LS-325	Ø3.0mm X 20 cm
HMI-LS-326	Ø3.0mm X 25 cm
HMI-LS-327	Ø3.0mm X 30 cm
HMI-LS-328	Ø3.0mm X 35 cm
HMI-LS-329	Ø4.0mm X 15 cm
HMI-LS-330	Ø4.0mm X 20 cm
HMI-LS-331	Ø4.0mm X 25 cm
HMI-LS-332	Ø4.0mm X 30 cm
HMI-LS-333	Ø4.0mm X 35 cm
HMI-LS-334	Ø5.0mm X 15 cm
HMI-LS-335	Ø5.0mm X 20 cm
HMI-LS-336	Ø5.0mm X 25 cm
HMI-LS-337	Ø5.0mm X 30 cm
HMI-LS-338	Ø5.0mm X 35 cm
HMI-LS-339	Ø6.0mm X 15 cm
HMI-LS-340	Ø6.0mm X 20 cm
HMI-LS-341	Ø6.0mm X 25 cm
HMI-LS-342	Ø6.0mm X 30 cm
HMI-LS-343	Ø6.0mm X 35 cm



Cobra Bibevel Style

More aggressive than the Standard, Pyramid or Mercedes, this cannula has a tapered tip with two ports and works effectively within dense fibrous tissue.

60cc Tommey hub

HMI-LS-344	Ø2.5mm X 15 cm
HMI-LS-345	Ø2.5mm X 20 cm
HMI-LS-346	Ø3.0mm X 15 cm
HMI-LS-347	Ø3.0mm X 20 cm
HMI-LS-348	Ø3.0mm X 25 cm
HMI-LS-349	Ø4.0mm X 25 cm
HMI-LS-350	Ø4.0mm X 30 cm
HMI-LS-351	Ø4.0mm X 35 cm
HMI-LS-352	Ø4.5mm X 30 cm
HMI-LS-353	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-354	Ø3.0mm X 15 cm
HMI-LS-355	Ø3.0mm X 25 cm
HMI-LS-356	Ø4.0mm X 15 cm
HMI-LS-357	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-358	Ø2.0mm X 15 cm
HMI-LS-359	Ø2.5mm X 15 cm
HMI-LS-360	Ø2.5mm X 20 cm
HMI-LS-361	Ø3.0mm X 15 cm
HMI-LS-362	Ø3.0mm X 20 cm
HMI-LS-363	Ø3.0mm X 25 cm

Luer lock

HMI-LS-364	Ø2.0mm X 15 cm
HMI-LS-365	Ø2.5mm X 15 cm
HMI-LS-366	Ø2.5mm X 20 cm
HMI-LS-367	Ø3.0mm X 15 cm
HMI-LS-368	Ø3.0mm X 20 cm
HMI-LS-369	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-370	Ø2.0mm X 15 cm
HMI-LS-371	Ø2.5mm X 15 cm
HMI-LS-372	Ø2.5mm X 20 cm
HMI-LS-373	Ø3.0mm X 15 cm
HMI-LS-374	Ø3.0mm X 20 cm
HMI-LS-375	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-376	Ø2.0mm X 15 cm
HMI-LS-377	Ø2.0mm X 20 cm
HMI-LS-378	Ø2.0mm X 25 cm
HMI-LS-379	Ø2.0mm X 30 cm
HMI-LS-380	Ø2.0mm X 35 cm
HMI-LS-381	Ø3.0mm X 15 cm
HMI-LS-382	Ø3.0mm X 20 cm
HMI-LS-383	Ø3.0mm X 25 cm
HMI-LS-384	Ø3.0mm X 30 cm
HMI-LS-385	Ø3.0mm X 35 cm
HMI-LS-386	Ø4.0mm X 15 cm
HMI-LS-387	Ø4.0mm X 20 cm
HMI-LS-388	Ø4.0mm X 25 cm
HMI-LS-389	Ø4.0mm X 30 cm
HMI-LS-390	Ø4.0mm X 35 cm
HMI-LS-391	Ø5.0mm X 15 cm
HMI-LS-392	Ø5.0mm X 20 cm
HMI-LS-393	Ø5.0mm X 25 cm
HMI-LS-394	Ø5.0mm X 30 cm
HMI-LS-395	Ø5.0mm X 35 cm
HMI-LS-396	Ø6.0mm X 15 cm
HMI-LS-397	Ø6.0mm X 20 cm
HMI-LS-398	Ø6.0mm X 25 cm
HMI-LS-399	Ø6.0mm X 30 cm
HMI-LS-400	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Cobra Style Round Tip

Less aggressive than the Cobra Bibevel this cell friendly cannula has a rounded tip with two ports and works effectively within dense fibrous tissue during liposuction procedures.

60cc Tommey hub

HMI-LS-401	Ø2.5mm X 15 cm
HMI-LS-402	Ø2.5mm X 20 cm
HMI-LS-403	Ø3.0mm X 15 cm
HMI-LS-404	Ø3.0mm X 20 cm
HMI-LS-405	Ø3.0mm X 25 cm
HMI-LS-406	Ø4.0mm X 25 cm
HMI-LS-407	Ø4.0mm X 30 cm
HMI-LS-408	Ø4.0mm X 35 cm
HMI-LS-409	Ø4.5mm X 30 cm
HMI-LS-410	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-411	Ø3.0mm X 15 cm
HMI-LS-412	Ø3.0mm X 25 cm
HMI-LS-413	Ø4.0mm X 15 cm
HMI-LS-414	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-415	Ø2.0mm X 15 cm
HMI-LS-416	Ø2.5mm X 15 cm
HMI-LS-417	Ø2.5mm X 20 cm
HMI-LS-418	Ø3.0mm X 15 cm
HMI-LS-419	Ø3.0mm X 20 cm
HMI-LS-420	Ø3.0mm X 25 cm

Luer lock

HMI-LS-421	Ø2.0mm X 15 cm
HMI-LS-422	Ø2.5mm X 15 cm
HMI-LS-423	Ø2.5mm X 20 cm
HMI-LS-424	Ø3.0mm X 15 cm
HMI-LS-425	Ø3.0mm X 20 cm
HMI-LS-426	Ø3.0mm X 25 cm


Luer lock (Stainless Steel)

HMI-LS-427	Ø2.0mm X 15 cm
HMI-LS-428	Ø2.5mm X 15 cm
HMI-LS-429	Ø2.5mm X 20 cm
HMI-LS-430	Ø3.0mm X 15 cm
HMI-LS-431	Ø3.0mm X 20 cm
HMI-LS-432	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-433	Ø2.0mm X 15 cm
HMI-LS-434	Ø2.0mm X 20 cm
HMI-LS-435	Ø2.0mm X 25 cm
HMI-LS-436	Ø2.0mm X 30 cm
HMI-LS-437	Ø2.0mm X 35 cm
HMI-LS-438	Ø3.0mm X 15 cm
HMI-LS-439	Ø3.0mm X 20 cm
HMI-LS-440	Ø3.0mm X 25 cm
HMI-LS-441	Ø3.0mm X 30 cm
HMI-LS-442	Ø3.0mm X 35 cm
HMI-LS-443	Ø4.0mm X 15 cm
HMI-LS-444	Ø4.0mm X 20 cm
HMI-LS-445	Ø4.0mm X 25 cm
HMI-LS-446	Ø4.0mm X 30 cm
HMI-LS-447	Ø4.0mm X 35 cm
HMI-LS-448	Ø5.0mm X 15 cm
HMI-LS-449	Ø5.0mm X 20 cm
HMI-LS-450	Ø5.0mm X 25 cm
HMI-LS-451	Ø5.0mm X 30 cm
HMI-LS-452	Ø5.0mm X 35 cm
HMI-LS-453	Ø6.0mm X 15 cm
HMI-LS-454	Ø6.0mm X 20 cm
HMI-LS-455	Ø6.0mm X 25 cm
HMI-LS-456	Ø6.0mm X 30 cm
HMI-LS-457	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Standard, Single Hole

This is the most common cell friendly cannula design for soft tissue removal. The single port is located 180 degrees from the thumb rest on the hub.

60cc Tommey hub

HMI-LS-458	Ø2.5mm X 15 cm
HMI-LS-459	Ø2.5mm X 20 cm
HMI-LS-460	Ø3.0mm X 15 cm
HMI-LS-461	Ø3.0mm X 20 cm
HMI-LS-462	Ø3.0mm X 25 cm
HMI-LS-463	Ø4.0mm X 25 cm
HMI-LS-464	Ø4.0mm X 30 cm
HMI-LS-465	Ø4.0mm X 35 cm
HMI-LS-466	Ø4.5mm X 30 cm
HMI-LS-467	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-468	Ø3.0mm X 15 cm
HMI-LS-469	Ø3.0mm X 25 cm
HMI-LS-470	Ø4.0mm X 15 cm
HMI-LS-471	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-472	Ø1.5mm X 12 cm
HMI-LS-473	Ø2.0mm X 15 cm
HMI-LS-474	Ø2.0mm X 20 cm
HMI-LS-475	Ø2.5mm X 15 cm
HMI-LS-476	Ø2.5mm X 20 cm
HMI-LS-477	Ø3.0mm X 15 cm
HMI-LS-478	Ø3.0mm X 20 cm
HMI-LS-479	Ø3.0mm X 25 cm

Luer lock

HMI-LS-480	Ø1.5mm X 12 cm
HMI-LS-481	Ø2.0mm X 15 cm
HMI-LS-482	Ø2.0mm X 20 cm
HMI-LS-483	Ø2.5mm X 15 cm
HMI-LS-484	Ø2.5mm X 20 cm
HMI-LS-485	Ø3.0mm X 15 cm
HMI-LS-486	Ø3.0mm X 20 cm
HMI-LS-487	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-488	Ø1.5mm X 12 cm
HMI-LS-489	Ø2.0mm X 15 cm
HMI-LS-490	Ø2.0mm X 20 cm
HMI-LS-491	Ø2.5mm X 15 cm
HMI-LS-492	Ø2.5mm X 20 cm
HMI-LS-493	Ø3.0mm X 15 cm
HMI-LS-494	Ø3.0mm X 20 cm
HMI-LS-495	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-496	Ø2.0mm X 15 cm
HMI-LS-497	Ø2.0mm X 20 cm
HMI-LS-498	Ø2.0mm X 25 cm
HMI-LS-499	Ø2.0mm X 30 cm
HMI-LS-500	Ø2.0mm X 35 cm
HMI-LS-501	Ø3.0mm X 15 cm
HMI-LS-502	Ø3.0mm X 20 cm
HMI-LS-503	Ø3.0mm X 25 cm
HMI-LS-504	Ø3.0mm X 30 cm
HMI-LS-505	Ø3.0mm X 35 cm
HMI-LS-506	Ø4.0mm X 15 cm
HMI-LS-507	Ø4.0mm X 20 cm
HMI-LS-508	Ø4.0mm X 25 cm
HMI-LS-509	Ø4.0mm X 30 cm
HMI-LS-510	Ø4.0mm X 35 cm
HMI-LS-511	Ø5.0mm X 15 cm
HMI-LS-512	Ø5.0mm X 20 cm
HMI-LS-513	Ø5.0mm X 25 cm
HMI-LS-514	Ø5.0mm X 30 cm
HMI-LS-515	Ø5.0mm X 35 cm
HMI-LS-516	Ø6.0mm X 15 cm
HMI-LS-517	Ø6.0mm X 20 cm
HMI-LS-518	Ø6.0mm X 25 cm
HMI-LS-519	Ø6.0mm X 30 cm
HMI-LS-520	Ø6.0mm X 35 cm



Pyramid Holes Cannula

This commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.

60cc Tommey hub	
HMI-LS-521	Ø2.5mm X 15 cm
HMI-LS-522	Ø2.5mm X 20 cm
HMI-LS-523	Ø3.0mm X 15 cm
HMI-LS-524	Ø3.0mm X 20 cm
HMI-LS-525	Ø3.0mm X 25 cm
HMI-LS-526	Ø4.0mm X 25 cm
HMI-LS-527	Ø4.0mm X 30 cm
HMI-LS-528	Ø4.0mm X 35 cm
HMI-LS-529	Ø4.5mm X 30 cm
HMI-LS-530	Ø4.5mm X 35 cm

Treaded Hub	
HMI-LS-531	Ø3.0mm X 15 cm
HMI-LS-532	Ø3.0mm X 25 cm
HMI-LS-533	Ø4.0mm X 15 cm
HMI-LS-534	Ø4.0mm X 25 cm


Super Luer Lock	
HMI-LS-535	Ø1.5mm X 12 cm
HMI-LS-536	Ø2.0mm X 15 cm
HMI-LS-537	Ø2.5mm X 15 cm
HMI-LS-538	Ø2.5mm x 20 cm
HMI-LS-539	Ø3.0mm X 15 cm
HMI-LS-540	Ø3.0mm X 20 cm
HMI-LS-541	Ø3.0mm X 25 cm

Luer lock	
HMI-LS-542	Ø1.5mm X 12 cm
HMI-LS-543	Ø2.0mm X 15 cm
HMI-LS-544	Ø2.5mm X 15 cm
HMI-LS-545	Ø2.5mm x 20 cm
HMI-LS-546	Ø3.0mm X 15 cm
HMI-LS-547	Ø3.0mm X 20 cm
HMI-LS-548	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)	
HMI-LS-549	Ø1.5mm X 12 cm
HMI-LS-550	Ø2.0mm X 15 cm
HMI-LS-551	Ø2.0mm X 20 cm
HMI-LS-552	Ø2.5mm X 15 cm
HMI-LS-553	Ø2.5mm x 20 cm
HMI-LS-554	Ø3.0mm X 15 cm
HMI-LS-555	Ø3.0mm X 20 cm
HMI-LS-556	Ø3.0mm X 25 cm

Power Cannula	
HMI-LS-557	Ø2.0mm X 15 cm
HMI-LS-558	Ø2.0mm X 20 cm
HMI-LS-559	Ø2.0mm X 25 cm
HMI-LS-560	Ø2.0mm X 30 cm
HMI-LS-561	Ø2.0mm X 35 cm
HMI-LS-562	Ø3.0mm X 15 cm
HMI-LS-563	Ø3.0mm X 20 cm
HMI-LS-564	Ø3.0mm X 25 cm
HMI-LS-565	Ø3.0mm X 30 cm
HMI-LS-566	Ø3.0mm X 35 cm
HMI-LS-567	Ø4.0mm X 15 cm
HMI-LS-568	Ø4.0mm X 20 cm
HMI-LS-569	Ø4.0mm X 25 cm
HMI-LS-570	Ø4.0mm X 30 cm
HMI-LS-571	Ø4.0mm X 35 cm
HMI-LS-572	Ø5.0mm X 15 cm
HMI-LS-573	Ø5.0mm X 20 cm
HMI-LS-574	Ø5.0mm X 25 cm
HMI-LS-575	Ø5.0mm X 30 cm
HMI-LS-576	Ø5.0mm X 35 cm
HMI-LS-577	Ø6.0mm X 15 cm
HMI-LS-578	Ø6.0mm X 20 cm
HMI-LS-579	Ø6.0mm X 25 cm
HMI-LS-580	Ø6.0mm X 30 cm
HMI-LS-581	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Luer lock Luer lock (Stainless Steel) Super Luer lock Treaded 60cc Tommey hub Fixed Handle

Mercedes

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.

60cc Tommey hub

HMI-LS-582	Ø2.5mm X 15 cm
HMI-LS-583	Ø2.5mm X 20 cm
HMI-LS-584	Ø3.0mm X 15 cm
HMI-LS-585	Ø3.0mm X 20 cm
HMI-LS-586	Ø3.0mm X 25 cm
HMI-LS-587	Ø4.0mm X 25 cm
HMI-LS-588	Ø4.0mm X 30 cm
HMI-LS-589	Ø4.0mm X 35 cm
HMI-LS-590	Ø4.5mm X 30 cm
HMI-LS-591	Ø4.5mm X 35 cm

Luer lock (Stainless Steel)

HMI-LS-609	Ø1.5mm X 12 cm
HMI-LS-610	Ø2.0mm X 15 cm
HMI-LS-611	Ø2.0mm X 20 cm
HMI-LS-612	Ø2.5mm X 15 cm
HMI-LS-613	Ø2.5mm x 20 cm
HMI-LS-614	Ø3.0mm X 15 cm
HMI-LS-615	Ø3.0mm X 20 cm
HMI-LS-616	Ø3.0mm X 25 cm

Treaded Hub

HMI-LS-592	Ø3.0mm X 15 cm
HMI-LS-593	Ø3.0mm X 25 cm
HMI-LS-594	Ø4.0mm X 15 cm
HMI-LS-595	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-596	Ø1.5mm X 12 cm
HMI-LS-597	Ø2.0mm X 15 cm
HMI-LS-598	Ø2.5mm X 15 cm
HMI-LS-599	Ø2.5mm x 20 cm
HMI-LS-600	Ø3.0mm X 15 cm
HMI-LS-601	Ø3.0mm X 20 cm
HMI-LS-601-a	Ø3.0mm X 25 cm


Luer lock

HMI-LS-602	Ø1.5mm X 12 cm
HMI-LS-603	Ø2.0mm X 15 cm
HMI-LS-604	Ø2.5mm X 15 cm
HMI-LS-605	Ø2.5mm x 20 cm
HMI-LS-606	Ø3.0mm X 15 cm
HMI-LS-607	Ø3.0mm X 20 cm
HMI-LS-608	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-617	Ø2.0mm X 15 cm
HMI-LS-618	Ø2.0mm X 20 cm
HMI-LS-619	Ø2.0mm X 25 cm
HMI-LS-620	Ø2.0mm X 30 cm
HMI-LS-621	Ø2.0mm X 35 cm
HMI-LS-622	Ø3.0mm X 15 cm
HMI-LS-623	Ø3.0mm X 20 cm
HMI-LS-624	Ø3.0mm X 25 cm
HMI-LS-625	Ø3.0mm X 30 cm
HMI-LS-626	Ø3.0mm X 35 cm
HMI-LS-627	Ø4.0mm X 15 cm
HMI-LS-628	Ø4.0mm X 20 cm
HMI-LS-629	Ø4.0mm X 25 cm
HMI-LS-630	Ø4.0mm X 30 cm
HMI-LS-631	Ø4.0mm X 35 cm
HMI-LS-632	Ø5.0mm X 15 cm
HMI-LS-633	Ø5.0mm X 20 cm
HMI-LS-634	Ø5.0mm X 25 cm
HMI-LS-635	Ø5.0mm X 30 cm
HMI-LS-636	Ø5.0mm X 35 cm
HMI-LS-637	Ø6.0mm X 15 cm
HMI-LS-638	Ø6.0mm X 20 cm
HMI-LS-639	Ø6.0mm X 25 cm
HMI-LS-640	Ø6.0mm X 30 cm
HMI-LS-641	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



3 Spiral Port Cannula (Carraway Style)

Spiral three port design on this Cell Friendly liposuction cannula is effective for multi-plane adipose tissue harvesting.

60cc Tommey hub	
HMI-LS-642	Ø2.5mm X 15 cm
HMI-LS-643	Ø2.5mm X 20 cm
HMI-LS-644	Ø3.0mm X 15 cm
HMI-LS-645	Ø3.0mm X 20 cm
HMI-LS-646	Ø3.0mm X 25 cm
HMI-LS-647	Ø4.0mm X 25 cm
HMI-LS-648	Ø4.0mm X 30 cm
HMI-LS-649	Ø4.0mm X 35 cm
HMI-LS-650	Ø4.5mm X 30 cm
HMI-LS-651	Ø4.5mm X 35 cm

Luer lock (Stainless Steel)	
HMI-LS-670	Ø1.5mm X 12 cm
HMI-LS-671	Ø2.0mm X 15 cm
HMI-LS-672	Ø2.0mm X 20 cm
HMI-LS-673	Ø2.5mm X 15 cm
HMI-LS-674	Ø2.5mm x 20 cm
HMI-LS-675	Ø3.0mm X 15 cm
HMI-LS-676	Ø3.0mm X 20 cm
HMI-LS-677	Ø3.0mm X 25 cm


Treaded Hub	
HMI-LS-652	Ø3.0mm X 15 cm
HMI-LS-653	Ø3.0mm X 25 cm
HMI-LS-654	Ø4.0mm X 15 cm
HMI-LS-655	Ø4.0mm X 25 cm

Power Cannula	
HMI-LS-678	Ø2.0mm X 15 cm
HMI-LS-679	Ø2.0mm X 20 cm
HMI-LS-680	Ø2.0mm X 25 cm
HMI-LS-681	Ø2.0mm X 30 cm
HMI-LS-682	Ø2.0mm X 35 cm
HMI-LS-683	Ø3.0mm X 15 cm
HMI-LS-684	Ø3.0mm X 20 cm
HMI-LS-685	Ø3.0mm X 25 cm
HMI-LS-686	Ø3.0mm X 30 cm
HMI-LS-687	Ø3.0mm X 35 cm
HMI-LS-688	Ø4.0mm X 15 cm
HMI-LS-689	Ø4.0mm X 20 cm
HMI-LS-690	Ø4.0mm X 25 cm
HMI-LS-691	Ø4.0mm X 30 cm
HMI-LS-692	Ø4.0mm X 35 cm
HMI-LS-693	Ø5.0mm X 15 cm
HMI-LS-694	Ø5.0mm X 20 cm
HMI-LS-695	Ø5.0mm X 25 cm
HMI-LS-696	Ø5.0mm X 30 cm
HMI-LS-697	Ø5.0mm X 35 cm
HMI-LS-698	Ø6.0mm X 15 cm
HMI-LS-699	Ø6.0mm X 20 cm
HMI-LS-700	Ø6.0mm X 25 cm
HMI-LS-701	Ø6.0mm X 30 cm
HMI-LS-702	Ø6.0mm X 35 cm

Super Luer Lock	
HMI-LS-656	Ø1.5mm X 12 cm
HMI-LS-657	Ø2.0mm X 15 cm
HMI-LS-658	Ø2.5mm X 15 cm
HMI-LS-659	Ø2.5mm x 20 cm
HMI-LS-660	Ø3.0mm X 15 cm
HMI-LS-661	Ø3.0mm X 20 cm
HMI-LS-662	Ø3.0mm X 25 cm

Luer lock	
HMI-LS-663	Ø1.5mm X 12 cm
HMI-LS-664	Ø2.0mm X 15 cm
HMI-LS-665	Ø2.5mm X 15 cm
HMI-LS-666	Ø2.5mm x 20 cm
HMI-LS-667	Ø3.0mm X 15 cm
HMI-LS-668	Ø3.0mm X 20 cm
HMI-LS-669	Ø3.0mm X 25 cm

Let Us know if you could not find what you are looking for



Six Spiral Port (Adjust below 3 Spiral Ports)

Six port spiral configuration on this Cell Friendly liposuction cannula harvests maximum tissue volume in minimal time.

60cc smart hub

HMI-LS-703	Ø2.5mm X 15 cm
HMI-LS-704	Ø2.5mm X 20 cm
HMI-LS-705	Ø3.0mm X 15 cm
HMI-LS-706	Ø3.0mm X 25 cm
HMI-LS-707	Ø4.0mm X 25 cm

Treaded Hub

HMI-LS-708	Ø3.0mm X 15 cm
HMI-LS-709	Ø3.0mm X 25 cm
HMI-LS-710	Ø4.0mm X 15 cm
HMI-LS-711	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-712	Ø2.5mm X 15 cm
HMI-LS-713	Ø2.5mm X 20 cm
HMI-LS-714	Ø3.0mm X 15 cm
HMI-LS-715	Ø3.0mm X 25 cm
HMI-LS-716	Ø4.0mm X 25 cm

Luer lock


HMI-LS-717	Ø2.5mm X 15 cm
HMI-LS-718	Ø2.5mm X 20 cm
HMI-LS-719	Ø3.0mm X 15 cm
HMI-LS-720	Ø3.0mm X 25 cm
HMI-LS-721	Ø4.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-722	Ø2.5mm X 15 cm
HMI-LS-723	Ø2.5mm X 20 cm
HMI-LS-724	Ø3.0mm X 15 cm
HMI-LS-725	Ø3.0mm X 25 cm
HMI-LS-726	Ø4.0mm X 25 cm

Power Cannula

HMI-LS-727	Ø2.0mm X 15 cm
HMI-LS-728	Ø2.0mm X 20 cm
HMI-LS-729	Ø2.0mm X 25 cm
HMI-LS-730	Ø2.0mm X 30 cm
HMI-LS-731	Ø2.0mm X 35 cm
HMI-LS-732	Ø3.0mm X 15 cm
HMI-LS-733	Ø3.0mm X 20 cm
HMI-LS-734	Ø3.0mm X 25 cm
HMI-LS-735	Ø3.0mm X 30 cm
HMI-LS-736	Ø3.0mm X 35 cm
HMI-LS-737	Ø4.0mm X 15 cm
HMI-LS-738	Ø4.0mm X 20 cm
HMI-LS-739	Ø4.0mm X 25 cm
HMI-LS-740	Ø4.0mm X 30 cm
HMI-LS-741	Ø4.0mm X 35 cm
HMI-LS-742	Ø5.0mm X 15 cm
HMI-LS-743	Ø5.0mm X 20 cm
HMI-LS-744	Ø5.0mm X 25 cm
HMI-LS-745	Ø5.0mm X 30 cm
HMI-LS-746	Ø5.0mm X 35 cm
HMI-LS-747	Ø6.0mm X 15 cm
HMI-LS-748	Ø6.0mm X 20 cm
HMI-LS-749	Ø6.0mm X 25 cm
HMI-LS-750	Ø6.0mm X 30 cm
HMI-LS-751	Ø6.0mm X 35 cm



Three port Cannula

This body sculpting instrument is excellent for harvesting small aliquots of tissue during liposuction procedures.

60cc Tommey hub

HMI-LS-752	Ø2.5mm X 15 cm
HMI-LS-753	Ø2.5mm X 20 cm
HMI-LS-754	Ø3.0mm X 15 cm
HMI-LS-755	Ø3.0mm X 20 cm
HMI-LS-756	Ø3.0mm X 25 cm
HMI-LS-757	Ø4.0mm X 25 cm
HMI-LS-758	Ø4.0mm X 30 cm
HMI-LS-759	Ø4.0mm X 35 cm
HMI-LS-760	Ø4.5mm X 30 cm
HMI-LS-761	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-762	Ø3.0mm X 15 cm
HMI-LS-763	Ø3.0mm X 25 cm
HMI-LS-764	Ø4.0mm X 15 cm
HMI-LS-765	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-766	Ø1.5mm X 12 cm
HMI-LS-767	Ø2.0mm X 15 cm
HMI-LS-768	Ø2.5mm X 15 cm
HMI-LS-769	Ø2.5mm X 20 cm
HMI-LS-770	Ø3.0mm X 15 cm
HMI-LS-771	Ø3.0mm X 20 cm
HMI-LS-772	Ø3.0mm X 25 cm

Luer lock

HMI-LS-773	Ø1.5mm X 12 cm
HMI-LS-774	Ø2.0mm X 15 cm
HMI-LS-775	Ø2.5mm X 15 cm
HMI-LS-776	Ø2.5mm X 20 cm
HMI-LS-777	Ø3.0mm X 15 cm
HMI-LS-778	Ø3.0mm X 20 cm
HMI-LS-779	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-780	Ø1.5mm X 12 cm
HMI-LS-781	Ø2.0mm X 15 cm
HMI-LS-782	Ø2.0mm X 20 cm
HMI-LS-783	Ø2.5mm X 15 cm
HMI-LS-784	Ø2.5mm X 20 cm
HMI-LS-785	Ø3.0mm X 15 cm
HMI-LS-786	Ø3.0mm X 20 cm
HMI-LS-787	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-788	Ø2.0mm X 15 cm
HMI-LS-789	Ø2.0mm X 20 cm
HMI-LS-790	Ø2.0mm X 25 cm
HMI-LS-791	Ø2.0mm X 30 cm
HMI-LS-792	Ø2.0mm X 35 cm
HMI-LS-793	Ø3.0mm X 15 cm
HMI-LS-794	Ø3.0mm X 20 cm
HMI-LS-795	Ø3.0mm X 25 cm
HMI-LS-796	Ø3.0mm X 30 cm
HMI-LS-797	Ø3.0mm X 35 cm
HMI-LS-798	Ø4.0mm X 15 cm
HMI-LS-799	Ø4.0mm X 20 cm
HMI-LS-800	Ø4.0mm X 25 cm
HMI-LS-801	Ø4.0mm X 30 cm
HMI-LS-802	Ø4.0mm X 35 cm
HMI-LS-803	Ø5.0mm X 15 cm
HMI-LS-804	Ø5.0mm X 20 cm
HMI-LS-805	Ø5.0mm X 25 cm
HMI-LS-806	Ø5.0mm X 30 cm
HMI-LS-807	Ø5.0mm X 35 cm
HMI-LS-808	Ø6.0mm X 15 cm
HMI-LS-809	Ø6.0mm X 20 cm
HMI-LS-810	Ø6.0mm X 25 cm
HMI-LS-811	Ø6.0mm X 30 cm
HMI-LS-812	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Basket Shaped Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures. The Basket Cannula is also adept under vacuum as a fat harvesting cannula. For finishing, this cannula can be used as an injector for equalizing and adding adipose tissue to sculpt smoother contours.

60cc Tommey hub	
HMI-LS-813	Ø3.0mm X 15 cm
HMI-LS-814	Ø3.0mm X 20 cm
HMI-LS-815	Ø3.0mm X 25 cm
HMI-LS-816	Ø4.0mm X 25 cm
HMI-LS-817	Ø4.0mm X 30 cm
HMI-LS-818	Ø4.0mm X 35 cm



Hole on Tip-Style I

Power Cannula					
HMI-LS-819	Ø2.0mm X 15 cm	HMI-LS-828	Ø3.0mm X 35 cm	HMI-LS-836	Ø5.0mm X 25 cm
HMI-LS-820	Ø2.0mm X 20 cm	HMI-LS-829	Ø4.0mm X 15 cm	HMI-LS-837	Ø5.0mm X 30 cm
HMI-LS-821	Ø2.0mm X 25 cm	HMI-LS-830	Ø4.0mm X 20 cm	HMI-LS-838	Ø5.0mm X 35 cm
HMI-LS-822	Ø2.0mm X 30 cm	HMI-LS-831	Ø4.0mm X 25 cm	HMI-LS-839	Ø6.0mm X 15 cm
HMI-LS-823	Ø2.0mm X 35 cm	HMI-LS-832	Ø4.0mm X 30 cm	HMI-LS-840	Ø6.0mm X 20 cm
HMI-LS-824	Ø3.0mm X 15 cm	HMI-LS-833	Ø4.0mm X 35 cm	HMI-LS-841	Ø6.0mm X 25 cm
HMI-LS-825	Ø3.0mm X 20 cm	HMI-LS-834	Ø5.0mm X 15 cm	HMI-LS-842	Ø6.0mm X 30 cm
HMI-LS-826	Ø3.0mm X 25 cm	HMI-LS-835	Ø5.0mm X 20 cm	HMI-LS-843	Ø6.0mm X 35 cm
HMI-LS-827	Ø3.0mm X 30 cm				



Hole on tip-Style II

Power Cannula					
HMI-LS-844	Ø2.0mm X 15 cm	HMI-LS-853	Ø3.0mm X 35 cm	HMI-LS-861	Ø5.0mm X 25 cm
HMI-LS-845	Ø2.0mm X 20 cm	HMI-LS-854	Ø4.0mm X 15 cm	HMI-LS-862	Ø5.0mm X 30 cm
HMI-LS-846	Ø2.0mm X 25 cm	HMI-LS-855	Ø4.0mm X 20 cm	HMI-LS-863	Ø5.0mm X 35 cm
HMI-LS-847	Ø2.0mm X 30 cm	HMI-LS-856	Ø4.0mm X 25 cm	HMI-LS-864	Ø6.0mm X 15 cm
HMI-LS-848	Ø2.0mm X 35 cm	HMI-LS-857	Ø4.0mm X 30 cm	HMI-LS-865	Ø6.0mm X 20 cm
HMI-LS-849	Ø3.0mm X 15 cm	HMI-LS-858	Ø4.0mm X 35 cm	HMI-LS-866	Ø6.0mm X 25 cm
HMI-LS-850	Ø3.0mm X 20 cm	HMI-LS-859	Ø5.0mm X 15 cm	HMI-LS-867	Ø6.0mm X 30 cm
HMI-LS-851	Ø3.0mm X 25 cm	HMI-LS-860	Ø5.0mm X 20 cm	HMI-LS-868	Ø6.0mm X 35 cm
HMI-LS-852	Ø3.0mm X 30 cm				

Let Us know if you could not find what you are looking for



Deep Sharp Cut Dissector


Power Cannula					
HMI-LS-887	Ø2.0mm X 15 cm	HMI-LS-896	Ø3.0mm X 35 cm	HMI-LS-904	Ø5.0mm X 25 cm
HMI-LS-888	Ø2.0mm X 20 cm	HMI-LS-897	Ø4.0mm X 15 cm	HMI-LS-905	Ø5.0mm X 30 cm
HMI-LS-889	Ø2.0mm X 25 cm	HMI-LS-898	Ø4.0mm X 20 cm	HMI-LS-906	Ø5.0mm X 35 cm
HMI-LS-890	Ø2.0mm X 30 cm	HMI-LS-899	Ø4.0mm X 25 cm	HMI-LS-907	Ø6.0mm X 15 cm
HMI-LS-891	Ø2.0mm X 35 cm	HMI-LS-900	Ø4.0mm X 30 cm	HMI-LS-908	Ø6.0mm X 20 cm
HMI-LS-892	Ø3.0mm X 15 cm	HMI-LS-901	Ø4.0mm X 35 cm	HMI-LS-909	Ø6.0mm X 25 cm
HMI-LS-893	Ø3.0mm X 20 cm	HMI-LS-902	Ø5.0mm X 15 cm	HMI-LS-910	Ø6.0mm X 30 cm
HMI-LS-894	Ø3.0mm X 25 cm	HMI-LS-903	Ø5.0mm X 20 cm	HMI-LS-911	Ø6.0mm X 35 cm
HMI-LS-895	Ø3.0mm X 30 cm				

Bi-Port Cannula

Luer lock (Stainless Steel)				
	10cm	15cm	20cm	25cm
2.0Ø	HMI-LS-912	HMI-LS-917	HMI-LS-922	HMI-LS-927
2.5Ø	HMI-LS-913	HMI-LS-918	HMI-LS-923	HMI-LS-928
3.0Ø	HMI-LS-914	HMI-LS-919	HMI-LS-924	HMI-LS-929
3.5Ø	HMI-LS-915	HMI-LS-920	HMI-LS-925	HMI-LS-930
4.0Ø	HMI-LS-916	HMI-LS-921	HMI-LS-926	HMI-LS-931

Power Cannula					
HMI-LS-932	Ø2.0mm X 15 cm	HMI-LS-941	Ø3.0mm X 35 cm	HMI-LS-949	Ø5.0mm X 25 cm
HMI-LS-933	Ø2.0mm X 20 cm	HMI-LS-942	Ø4.0mm X 15 cm	HMI-LS-950	Ø5.0mm X 30 cm
HMI-LS-934	Ø2.0mm X 25 cm	HMI-LS-943	Ø4.0mm X 20 cm	HMI-LS-951	Ø5.0mm X 35 cm
HMI-LS-935	Ø2.0mm X 30 cm	HMI-LS-944	Ø4.0mm X 25 cm	HMI-LS-952	Ø6.0mm X 15 cm
HMI-LS-936	Ø2.0mm X 35 cm	HMI-LS-945	Ø4.0mm X 30 cm	HMI-LS-952	Ø6.0mm X 20 cm
HMI-LS-937	Ø3.0mm X 15 cm	HMI-LS-946	Ø4.0mm X 35 cm	HMI-LS-953	Ø6.0mm X 25 cm
HMI-LS-938	Ø3.0mm X 20 cm	HMI-LS-947	Ø5.0mm X 15 cm	HMI-LS-954	Ø6.0mm X 30 cm
HMI-LS-939	Ø3.0mm X 25 cm	HMI-LS-948	Ø5.0mm X 20 cm	HMI-LS-955	Ø6.0mm X 35 cm
HMI-LS-940	Ø3.0mm X 30 cm				

Let Us know if you could not find what you are looking for



Tapered Tip Single Central Hole

Power Cannula

HMI-LS-956	Ø2.0mm X 15 cm	HMI-LS-965	Ø3.0mm X 35 cm	HMI-LS-973	Ø5.0mm X 25 cm
HMI-LS-957	Ø2.0mm X 20 cm	HMI-LS-966	Ø4.0mm X 15 cm	HMI-LS-974	Ø5.0mm X 30 cm
HMI-LS-958	Ø2.0mm X 25 cm	HMI-LS-967	Ø4.0mm X 20 cm	HMI-LS-975	Ø5.0mm X 35 cm
HMI-LS-959	Ø2.0mm X 30 cm	HMI-LS-968	Ø4.0mm X 25 cm	HMI-LS-976	Ø6.0mm X 15 cm
HMI-LS-960	Ø2.0mm X 35 cm	HMI-LS-969	Ø4.0mm X 30 cm	HMI-LS-977	Ø6.0mm X 20 cm
HMI-LS-961	Ø3.0mm X 15 cm	HMI-LS-970	Ø4.0mm X 35 cm	HMI-LS-978	Ø6.0mm X 25 cm
HMI-LS-962	Ø3.0mm X 20 cm	HMI-LS-971	Ø5.0mm X 15 cm	HMI-LS-979	Ø6.0mm X 30 cm
HMI-LS-963	Ø3.0mm X 25 cm	HMI-LS-972	Ø5.0mm X 20 cm	HMI-LS-980	Ø6.0mm X 35 cm
HMI-LS-964	Ø3.0mm X 30 cm				

Tapered Tip Two Spiral Holes

Power Cannula

HMI-LS-981	Ø2.0mm X 15 cm	HMI-LS-990	Ø3.0mm X 35 cm	HMI-LS-998	Ø5.0mm X 25 cm
HMI-LS-982	Ø2.0mm X 20 cm	HMI-LS-911	Ø4.0mm X 15 cm	HMI-LS-999	Ø5.0mm X 30 cm
HMI-LS-983	Ø2.0mm X 25 cm	HMI-LS-992	Ø4.0mm X 20 cm	HMI-LS-1000	Ø5.0mm X 35 cm
HMI-LS-984	Ø2.0mm X 30 cm	HMI-LS-993	Ø4.0mm X 25 cm	HMI-LS-1001	Ø6.0mm X 15 cm
HMI-LS-985	Ø2.0mm X 35 cm	HMI-LS-994	Ø4.0mm X 30 cm	HMI-LS-1002	Ø6.0mm X 20 cm
HMI-LS-986	Ø3.0mm X 15 cm	HMI-LS-995	Ø4.0mm X 35 cm	HMI-LS-1003	Ø6.0mm X 25 cm
HMI-LS-987	Ø3.0mm X 20 cm	HMI-LS-996	Ø5.0mm X 15 cm	HMI-LS-1004	Ø6.0mm X 30 cm
HMI-LS-988	Ø3.0mm X 25 cm	HMI-LS-997	Ø5.0mm X 20 cm	HMI-LS-1005	Ø6.0mm X 35 cm
HMI-LS-989	Ø3.0mm X 30 cm				

Fig. 3F

Power Cannula

HMI-LS-1006	Ø2.0mm X 15 cm	HMI-LS-1015	Ø3.0mm X 35 cm	HMI-LS-1023	Ø5.0mm X 25 cm
HMI-LS-1007	Ø2.0mm X 20 cm	HMI-LS-1016	Ø4.0mm X 15 cm	HMI-LS-1024	Ø5.0mm X 30 cm
HMI-LS-1008	Ø2.0mm X 25 cm	HMI-LS-1017	Ø4.0mm X 20 cm	HMI-LS-1025	Ø5.0mm X 35 cm
HMI-LS-1009	Ø2.0mm X 30 cm	HMI-LS-1018	Ø4.0mm X 25 cm	HMI-LS-1026	Ø6.0mm X 15 cm
HMI-LS-1010	Ø2.0mm X 35 cm	HMI-LS-1019	Ø4.0mm X 30 cm	HMI-LS-1027	Ø6.0mm X 20 cm
HMI-LS-1011	Ø3.0mm X 15 cm	HMI-LS-1020	Ø4.0mm X 35 cm	HMI-LS-1028	Ø6.0mm X 25 cm
HMI-LS-1012	Ø3.0mm X 20 cm	HMI-LS-1021	Ø5.0mm X 15 cm	HMI-LS-1029	Ø6.0mm X 30 cm
HMI-LS-1013	Ø3.0mm X 25 cm	HMI-LS-1022	Ø5.0mm X 20 cm	HMI-LS-1030	Ø6.0mm X 35 cm
HMI-LS-1014	Ø3.0mm X 30 cm				




Fig. 2Ech

Power Cannula

HMI-LS-1031	Ø2.0mm X 15 cm	HMI-LS-1040	Ø3.0mm X 35 cm	HMI-LS-1048	Ø5.0mm X 25 cm
HMI-LS-1032	Ø2.0mm X 20 cm	HMI-LS-1041	Ø4.0mm X 15 cm	HMI-LS-1049	Ø5.0mm X 30 cm
HMI-LS-1033	Ø2.0mm X 25 cm	HMI-LS-1042	Ø4.0mm X 20 cm	HMI-LS-1050	Ø5.0mm X 35 cm
HMI-LS-1034	Ø2.0mm X 30 cm	HMI-LS-1043	Ø4.0mm X 25 cm	HMI-LS-1051	Ø6.0mm X 15 cm
HMI-LS-1035	Ø2.0mm X 35 cm	HMI-LS-1044	Ø4.0mm X 30 cm	HMI-LS-1052	Ø6.0mm X 20 cm
HMI-LS-1036	Ø3.0mm X 15 cm	HMI-LS-1045	Ø4.0mm X 35 cm	HMI-LS-1053	Ø6.0mm X 25 cm
HMI-LS-1037	Ø3.0mm X 20 cm	HMI-LS-1046	Ø5.0mm X 15 cm	HMI-LS-1054	Ø6.0mm X 30 cm
HMI-LS-1038	Ø3.0mm X 25 cm	HMI-LS-1047	Ø5.0mm X 20 cm	HMI-LS-1055	Ø6.0mm X 35 cm
HMI-LS-1039	Ø3.0mm X 30 cm				

Two Square-In Line


Luer lock (Stainless Steel)

	7cm	10cm	15cm	20cm	25cm
2.0Ø	HMI-LS-1056	HMI-LS-1061	HMI-LS-1066	HMI-LS-1071	HMI-LS-1076
2.5Ø	HMI-LS-1057	HMI-LS-1062	HMI-LS-1067	HMI-LS-1072	HMI-LS-1077
3.0Ø	HMI-LS-1058	HMI-LS-1063	HMI-LS-1068	HMI-LS-1073	HMI-LS-1078
3.5Ø	HMI-LS-1059	HMI-LS-1064	HMI-LS-1069	HMI-LS-1074	HMI-LS-1079
4.0Ø	HMI-LS-1060	HMI-LS-1065	HMI-LS-1070	HMI-LS-1075	HMI-LS-1080

Power Cannula

HMI-LS-1081	Ø2.0mm X 15 cm	HMI-LS-1090	Ø3.0mm X 35 cm	HMI-LS-1098	Ø5.0mm X 25 cm
HMI-LS-1082	Ø2.0mm X 20 cm	HMI-LS-1091	Ø4.0mm X 15 cm	HMI-LS-1099	Ø5.0mm X 30 cm
HMI-LS-1083	Ø2.0mm X 25 cm	HMI-LS-1092	Ø4.0mm X 20 cm	HMI-LS-1100	Ø5.0mm X 35 cm
HMI-LS-1084	Ø2.0mm X 30 cm	HMI-LS-1093	Ø4.0mm X 25 cm	HMI-LS-1101	Ø6.0mm X 15 cm
HMI-LS-1085	Ø2.0mm X 35 cm	HMI-LS-1094	Ø4.0mm X 30 cm	HMI-LS-1102	Ø6.0mm X 20 cm
HMI-LS-1086	Ø3.0mm X 15 cm	HMI-LS-1095	Ø4.0mm X 35 cm	HMI-LS-1103	Ø6.0mm X 25 cm
HMI-LS-1087	Ø3.0mm X 20 cm	HMI-LS-1096	Ø5.0mm X 15 cm	HMI-LS-1104	Ø6.0mm X 30 cm
HMI-LS-1088	Ø3.0mm X 25 cm	HMI-LS-1097	Ø5.0mm X 20 cm	HMI-LS-1105	Ø6.0mm X 35 cm
HMI-LS-1089	Ø3.0mm X 30 cm				

Let Us know if you could not find what you are looking for



One Central Port-Two Parallel Ports

Power Cannula

HMI-LS-1106	Ø2.0mm X 15 cm	HMI-LS-1115	Ø3.0mm X 35 cm	HMI-LS-1122	Ø5.0mm X 25 cm
HMI-LS-1107	Ø2.0mm X 20 cm	HMI-LS-1116	Ø4.0mm X 15 cm	HMI-LS-1123	Ø5.0mm X 30 cm
HMI-LS-1108	Ø2.0mm X 25 cm	HMI-LS-1117	Ø4.0mm X 20 cm	HMI-LS-1124	Ø5.0mm X 35 cm
HMI-LS-1109	Ø2.0mm X 30 cm	HMI-LS-1118	Ø4.0mm X 25 cm	HMI-LS-1125	Ø6.0mm X 15 cm
HMI-LS-1110	Ø2.0mm X 35 cm	HMI-LS-1119	Ø4.0mm X 30 cm	HMI-LS-1126	Ø6.0mm X 20 cm
HMI-LS-1111	Ø3.0mm X 15 cm	HMI-LS-1120	Ø4.0mm X 35 cm	HMI-LS-1127	Ø6.0mm X 25 cm
HMI-LS-1112	Ø3.0mm X 20 cm	HMI-LS-1121	Ø5.0mm X 15 cm	HMI-LS-1128	Ø6.0mm X 30 cm
HMI-LS-1113	Ø3.0mm X 25 cm	HMI-LS-1121	Ø5.0mm X 20 cm	HMI-LS-1129	Ø6.0mm X 35 cm
HMI-LS-1114	Ø3.0mm X 30 cm				

Two Parallel Port-One Central Ports

Power Cannula

HMI-LS-1130	Ø2.0mm X 15 cm	HMI-LS-1139	Ø3.0mm X 35 cm	HMI-LS-1147	Ø5.0mm X 25 cm
HMI-LS-1131	Ø2.0mm X 20 cm	HMI-LS-1140	Ø4.0mm X 15 cm	HMI-LS-1148	Ø5.0mm X 30 cm
HMI-LS-1132	Ø2.0mm X 25 cm	HMI-LS-1141	Ø4.0mm X 20 cm	HMI-LS-1149	Ø5.0mm X 35 cm
HMI-LS-1133	Ø2.0mm X 30 cm	HMI-LS-1142	Ø4.0mm X 25 cm	HMI-LS-1150	Ø6.0mm X 15 cm
HMI-LS-1134	Ø2.0mm X 35 cm	HMI-LS-1143	Ø4.0mm X 30 cm	HMI-LS-1151	Ø6.0mm X 20 cm
HMI-LS-1135	Ø3.0mm X 15 cm	HMI-LS-1144	Ø4.0mm X 35 cm	HMI-LS-1152	Ø6.0mm X 25 cm
HMI-LS-1136	Ø3.0mm X 20 cm	HMI-LS-1145	Ø5.0mm X 15 cm	HMI-LS-1153	Ø6.0mm X 30 cm
HMI-LS-1137	Ø3.0mm X 25 cm	HMI-LS-1146	Ø5.0mm X 20 cm	HMI-LS-1154	Ø6.0mm X 35 cm
HMI-LS-1138	Ø3.0mm X 30 cm				



Fig. 3Me

Luer lock (Stainless Steel)					
7cm		10cm	15cm	20cm	25cm
2.0Ø	HMI-LS-1155	HMI-LS-1160	HMI-LS-1165	HMI-LS-1170	
2.5Ø	HMI-LS-1156	HMI-LS-1161	HMI-LS-1166	HMI-LS-1171	
3.0Ø	HMI-LS-1157	HMI-LS-1162	HMI-LS-1167	HMI-LS-1172	
3.5Ø	HMI-LS-1158	HMI-LS-1163	HMI-LS-1168	HMI-LS-1173	
4.0Ø	HMI-LS-1159	HMI-LS-1164	HMI-LS-1169	HMI-LS-1174	

Power Cannula					
HMI-LS-1175	Ø2.0mm X 15 cm	HMI-LS-1184	Ø3.0mm X 35 cm	HMI-LS-1192	Ø5.0mm X 25 cm
HMI-LS-1176	Ø2.0mm X 20 cm	HMI-LS-1185	Ø4.0mm X 15 cm	HMI-LS-1193	Ø5.0mm X 30 cm
HMI-LS-1177	Ø2.0mm X 25 cm	HMI-LS-1186	Ø4.0mm X 20 cm	HMI-LS-1194	Ø5.0mm X 35 cm
HMI-LS-1178	Ø2.0mm X 30 cm	HMI-LS-1187	Ø4.0mm X 25 cm	HMI-LS-1195	Ø6.0mm X 15 cm
HMI-LS-1179	Ø2.0mm X 35 cm	HMI-LS-1188	Ø4.0mm X 30 cm	HMI-LS-1196	Ø6.0mm X 20 cm
HMI-LS-1180	Ø3.0mm X 15 cm	HMI-LS-1189	Ø4.0mm X 35 cm	HMI-LS-1197	Ø6.0mm X 25 cm
HMI-LS-1181	Ø3.0mm X 20 cm	HMI-LS-1190	Ø5.0mm X 15 cm	HMI-LS-1198	Ø6.0mm X 30 cm
HMI-LS-1182	Ø3.0mm X 25 cm	HMI-LS-1191	Ø5.0mm X 20 cm	HMI-LS-1199	Ø6.0mm X 35 cm
HMI-LS-1183	Ø3.0mm X 30 cm				

Fig. 3Hr

Power Cannula					
HMI-LS-1200	Ø2.0mm X 15 cm	HMI-LS-1209	Ø3.0mm X 35 cm	HMI-LS-1217	Ø5.0mm X 25 cm
HMI-LS-1201	Ø2.0mm X 20 cm	HMI-LS-1210	Ø4.0mm X 15 cm	HMI-LS-1218	Ø5.0mm X 30 cm
HMI-LS-1202	Ø2.0mm X 25 cm	HMI-LS-1211	Ø4.0mm X 20 cm	HMI-LS-1219	Ø5.0mm X 35 cm
HMI-LS-1203	Ø2.0mm X 30 cm	HMI-LS-1212	Ø4.0mm X 25 cm	HMI-LS-1220	Ø6.0mm X 15 cm
HMI-LS-1204	Ø2.0mm X 35 cm	HMI-LS-1213	Ø4.0mm X 30 cm	HMI-LS-1221	Ø6.0mm X 20 cm
HMI-LS-1205	Ø3.0mm X 15 cm	HMI-LS-1214	Ø4.0mm X 35 cm	HMI-LS-1222	Ø6.0mm X 25 cm
HMI-LS-1206	Ø3.0mm X 20 cm	HMI-LS-1215	Ø5.0mm X 15 cm	HMI-LS-1223	Ø6.0mm X 30 cm
HMI-LS-1207	Ø3.0mm X 25 cm	HMI-LS-1216	Ø5.0mm X 20 cm	HMI-LS-1224	Ø6.0mm X 35 cm
HMI-LS-1208	Ø3.0mm X 30 cm				

Fig. Riz

Power Cannula					
HMI-LS-1225	Ø2.0mm X 15 cm	HMI-LS-1234	Ø3.0mm X 35 cm	HMI-LS-1242	Ø5.0mm X 25 cm
HMI-LS-1226	Ø2.0mm X 20 cm	HMI-LS-1235	Ø4.0mm X 15 cm	HMI-LS-1243	Ø5.0mm X 30 cm
HMI-LS-1227	Ø2.0mm X 25 cm	HMI-LS-1236	Ø4.0mm X 20 cm	HMI-LS-1244	Ø5.0mm X 35 cm
HMI-LS-1228	Ø2.0mm X 30 cm	HMI-LS-1237	Ø4.0mm X 25 cm	HMI-LS-1245	Ø6.0mm X 15 cm
HMI-LS-1229	Ø2.0mm X 35 cm	HMI-LS-1238	Ø4.0mm X 30 cm	HMI-LS-1246	Ø6.0mm X 20 cm
HMI-LS-1230	Ø3.0mm X 15 cm	HMI-LS-1239	Ø4.0mm X 35 cm	HMI-LS-1247	Ø6.0mm X 25 cm
HMI-LS-1231	Ø3.0mm X 20 cm	HMI-LS-1240	Ø5.0mm X 15 cm	HMI-LS-1248	Ø6.0mm X 30 cm
HMI-LS-1232	Ø3.0mm X 25 cm	HMI-LS-1241	Ø5.0mm X 20 cm	HMI-LS-1249	Ø6.0mm X 35 cm
HMI-LS-1233	Ø3.0mm X 30 cm				

Let Us know if you could not find what you are looking for




Fig. 5Ai

Power Cannula

HMI-LS-1250	Ø2.0mm X 15 cm	HMI-LS-1259	Ø3.0mm X 35 cm	HMI-LS-1267	Ø5.0mm X 25 cm
HMI-LS-1251	Ø2.0mm X 20 cm	HMI-LS-1260	Ø4.0mm X 15 cm	HMI-LS-1268	Ø5.0mm X 30 cm
HMI-LS-1252	Ø2.0mm X 25 cm	HMI-LS-1261	Ø4.0mm X 20 cm	HMI-LS-1269	Ø5.0mm X 35 cm
HMI-LS-1253	Ø2.0mm X 30 cm	HMI-LS-1262	Ø4.0mm X 25 cm	HMI-LS-1270	Ø6.0mm X 15 cm
HMI-LS-1254	Ø2.0mm X 35 cm	HMI-LS-1263	Ø4.0mm X 30 cm	HMI-LS-1271	Ø6.0mm X 20 cm
HMI-LS-1255	Ø3.0mm X 15 cm	HMI-LS-1264	Ø4.0mm X 35 cm	HMI-LS-1272	Ø6.0mm X 25 cm
HMI-LS-1256	Ø3.0mm X 20 cm	HMI-LS-1265	Ø5.0mm X 15 cm	HMI-LS-1273	Ø6.0mm X 30 cm
HMI-LS-1257	Ø3.0mm X 25 cm	HMI-LS-1266	Ø5.0mm X 20 cm	HMI-LS-1274	Ø6.0mm X 35 cm
HMI-LS-1258	Ø3.0mm X 30 cm				

Fig. Mr

Power Cannula

HMI-LS-1275	Ø2.0mm X 15 cm	HMI-LS-1284	Ø3.0mm X 35 cm	HMI-LS-1292	Ø5.0mm X 25 cm
HMI-LS-1276	Ø2.0mm X 20 cm	HMI-LS-1285	Ø4.0mm X 15 cm	HMI-LS-1293	Ø5.0mm X 30 cm
HMI-LS-1277	Ø2.0mm X 25 cm	HMI-LS-1286	Ø4.0mm X 20 cm	HMI-LS-1294	Ø5.0mm X 35 cm
HMI-LS-1278	Ø2.0mm X 30 cm	HMI-LS-1287	Ø4.0mm X 25 cm	HMI-LS-1295	Ø6.0mm X 15 cm
HMI-LS-1279	Ø2.0mm X 35 cm	HMI-LS-1288	Ø4.0mm X 30 cm	HMI-LS-1296	Ø6.0mm X 20 cm
HMI-LS-1280	Ø3.0mm X 15 cm	HMI-LS-1289	Ø4.0mm X 35 cm	HMI-LS-1297	Ø6.0mm X 25 cm
HMI-LS-1281	Ø3.0mm X 20 cm	HMI-LS-1290	Ø5.0mm X 15 cm	HMI-LS-1298	Ø6.0mm X 30 cm
HMI-LS-1282	Ø3.0mm X 25 cm	HMI-LS-1291	Ø5.0mm X 20 cm	HMI-LS-1299	Ø6.0mm X 35 cm
HMI-LS-1283	Ø3.0mm X 30 cm				

Fig. P3G

Power Cannula

HMI-LS-1300	Ø2.0mm X 15 cm	HMI-LS-1309	Ø3.0mm X 35 cm	HMI-LS-1317	Ø5.0mm X 25 cm
HMI-LS-1301	Ø2.0mm X 20 cm	HMI-LS-1310	Ø4.0mm X 15 cm	HMI-LS-1318	Ø5.0mm X 30 cm
HMI-LS-1302	Ø2.0mm X 25 cm	HMI-LS-1311	Ø4.0mm X 20 cm	HMI-LS-1319	Ø5.0mm X 35 cm
HMI-LS-1303	Ø2.0mm X 30 cm	HMI-LS-1312	Ø4.0mm X 25 cm	HMI-LS-1320	Ø6.0mm X 15 cm
HMI-LS-1304	Ø2.0mm X 35 cm	HMI-LS-1313	Ø4.0mm X 30 cm	HMI-LS-1321	Ø6.0mm X 20 cm
HMI-LS-1305	Ø3.0mm X 15 cm	HMI-LS-1314	Ø4.0mm X 35 cm	HMI-LS-1322	Ø6.0mm X 25 cm
HMI-LS-1306	Ø3.0mm X 20 cm	HMI-LS-1315	Ø5.0mm X 15 cm	HMI-LS-1323	Ø6.0mm X 30 cm
HMI-LS-1307	Ø3.0mm X 25 cm	HMI-LS-1316	Ø5.0mm X 20 cm	HMI-LS-1324	Ø6.0mm X 35 cm
HMI-LS-1308	Ø3.0mm X 30 cm				



Fig. Py

Power Cannula					
HMI-LS-1325	Ø2.0mm X 15 cm	HMI-LS-1334	Ø3.0mm X 35 cm	HMI-LS-1342	Ø5.0mm X 25 cm
HMI-LS-1326	Ø2.0mm X 20 cm	HMI-LS-1335	Ø4.0mm X 15 cm	HMI-LS-1343	Ø5.0mm X 30 cm
HMI-LS-1327	Ø2.0mm X 25 cm	HMI-LS-1336	Ø4.0mm X 20 cm	HMI-LS-1344	Ø5.0mm X 35 cm
HMI-LS-1328	Ø2.0mm X 30 cm	HMI-LS-1337	Ø4.0mm X 25 cm	HMI-LS-1345	Ø6.0mm X 15 cm
HMI-LS-1329	Ø2.0mm X 35 cm	HMI-LS-1338	Ø4.0mm X 30 cm	HMI-LS-1346	Ø6.0mm X 20 cm
HMI-LS-1330	Ø3.0mm X 15 cm	HMI-LS-1339	Ø4.0mm X 35 cm	HMI-LS-1347	Ø6.0mm X 25 cm
HMI-LS-1331	Ø3.0mm X 20 cm	HMI-LS-1340	Ø5.0mm X 15 cm	HMI-LS-1348	Ø6.0mm X 30 cm
HMI-LS-1332	Ø3.0mm X 25 cm	HMI-LS-1341	Ø5.0mm X 20 cm	HMI-LS-1349	Ø6.0mm X 35 cm
HMI-LS-1333	Ø3.0mm X 30 cm				



Fig. Le


Power Cannula					
HMI-LS-1350	Ø2.0mm X 15 cm	HMI-LS-1359	Ø3.0mm X 35 cm	HMI-LS-1367	Ø5.0mm X 25 cm
HMI-LS-1351	Ø2.0mm X 20 cm	HMI-LS-1360	Ø4.0mm X 15 cm	HMI-LS-1368	Ø5.0mm X 30 cm
HMI-LS-1352	Ø2.0mm X 25 cm	HMI-LS-1361	Ø4.0mm X 20 cm	HMI-LS-1369	Ø5.0mm X 35 cm
HMI-LS-1353	Ø2.0mm X 30 cm	HMI-LS-1362	Ø4.0mm X 25 cm	HMI-LS-1370	Ø6.0mm X 15 cm
HMI-LS-1354	Ø2.0mm X 35 cm	HMI-LS-1363	Ø4.0mm X 30 cm	HMI-LS-1371	Ø6.0mm X 20 cm
HMI-LS-1355	Ø3.0mm X 15 cm	HMI-LS-1364	Ø4.0mm X 35 cm	HMI-LS-1372	Ø6.0mm X 25 cm
HMI-LS-1356	Ø3.0mm X 20 cm	HMI-LS-1365	Ø5.0mm X 15 cm	HMI-LS-1373	Ø6.0mm X 30 cm
HMI-LS-1357	Ø3.0mm X 25 cm	HMI-LS-1366	Ø5.0mm X 20 cm	HMI-LS-1374	Ø6.0mm X 35 cm
HMI-LS-1358	Ø3.0mm X 30 cm				

Let Us know if you could not find what you are looking for



Harvester Cannulas

Let Us know if you could not find what you are looking for



Multiport Speed Harvester – Both End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

HMI-LS-1375	Ø2.5mm X 15 cm
HMI-LS-1376	Ø2.5mm X 20 cm
HMI-LS-1377	Ø3.0mm X 15 cm
HMI-LS-1378	Ø3.0mm X 20 cm
HMI-LS-1379	Ø3.0mm X 25 cm
HMI-LS-1380	Ø4.0mm X 25 cm
HMI-LS-1381	Ø4.0mm X 30 cm
HMI-LS-1382	Ø4.0mm X 35 cm
HMI-LS-1383	Ø4.5mm X 30 cm
HMI-LS-1384	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1385	Ø3.0mm X 15 cm
HMI-LS-1386	Ø3.0mm X 25 cm
HMI-LS-1387	Ø4.0mm X 15 cm
HMI-LS-1388	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1389	Ø2.0mm X 15 cm
HMI-LS-1390	Ø2.5mm X 15 cm
HMI-LS-1391	Ø2.5mm X 20 cm
HMI-LS-1392	Ø3.0mm X 15 cm
HMI-LS-1393	Ø3.0mm X 20 cm
HMI-LS-1394	Ø3.0mm X 25 cm

Luer lock

HMI-LS-1395	Ø2.0mm X 15 cm
HMI-LS-1396	Ø2.5mm X 15 cm
HMI-LS-1397	Ø2.5mm X 20 cm
HMI-LS-1398	Ø3.0mm X 15 cm
HMI-LS-1399	Ø3.0mm X 20 cm
HMI-LS-1400	Ø3.0mm X 25 cm


Luer lock (Stainless Steel)

HMI-LS-1401	Ø2.0mm X 15 cm
HMI-LS-1402	Ø2.5mm X 15 cm
HMI-LS-1403	Ø2.5mm X 20 cm
HMI-LS-1404	Ø3.0mm X 15 cm
HMI-LS-1405	Ø3.0mm X 20 cm
HMI-LS-1406	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1407	Ø2.0mm X 15 cm
HMI-LS-1408	Ø2.0mm X 20 cm
HMI-LS-1409	Ø2.0mm X 25 cm
HMI-LS-1410	Ø2.0mm X 30 cm
HMI-LS-1411	Ø2.0mm X 35 cm
HMI-LS-1412	Ø3.0mm X 15 cm
HMI-LS-1413	Ø3.0mm X 20 cm
HMI-LS-1414	Ø3.0mm X 25 cm
HMI-LS-1415	Ø3.0mm X 30 cm
HMI-LS-1416	Ø3.0mm X 35 cm
HMI-LS-1417	Ø4.0mm X 15 cm
HMI-LS-1418	Ø4.0mm X 20 cm
HMI-LS-1419	Ø4.0mm X 25 cm
HMI-LS-1420	Ø4.0mm X 30 cm
HMI-LS-1421	Ø4.0mm X 35 cm
HMI-LS-1422	Ø5.0mm X 15 cm
HMI-LS-1423	Ø5.0mm X 20 cm
HMI-LS-1424	Ø5.0mm X 25 cm
HMI-LS-1425	Ø5.0mm X 30 cm
HMI-LS-1426	Ø5.0mm X 35 cm
HMI-LS-1427	Ø6.0mm X 15 cm
HMI-LS-1428	Ø6.0mm X 20 cm
HMI-LS-1429	Ø6.0mm X 25 cm
HMI-LS-1430	Ø6.0mm X 30 cm
HMI-LS-1431	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Multiport Speed Harvester- One End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60cc Tommey hub

HMI-LS-1432	Ø2.5mm X 15 cm
HMI-LS-1433	Ø2.5mm X 20 cm
HMI-LS-1434	Ø3.0mm X 15 cm
HMI-LS-1435	Ø3.0mm X 20 cm
HMI-LS-1436	Ø3.0mm X 25 cm
HMI-LS-1437	Ø4.0mm X 25 cm
HMI-LS-1438	Ø4.0mm X 30 cm
HMI-LS-1439	Ø4.0mm X 35 cm
HMI-LS-1440	Ø4.5mm X 30 cm
HMI-LS-1441	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1442	Ø3.0mm X 15 cm
HMI-LS-1443	Ø3.0mm X 25 cm
HMI-LS-1444	Ø4.0mm X 15 cm
HMI-LS-1445	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1446	Ø2.0mm X 15 cm
HMI-LS-1447	Ø2.5mm X 15 cm
HMI-LS-1448	Ø2.5mm x 20 cm
HMI-LS-1449	Ø3.0mm X 15 cm
HMI-LS-1450	Ø3.0mm X 20 cm
HMI-LS-1451	Ø3.0mm X 25 cm

Luer lock

HMI-LS-1452	Ø2.0mm X 15 cm
HMI-LS-1453	Ø2.5mm X 15 cm
HMI-LS-1454	Ø2.5mm x 20 cm
HMI-LS-1455	Ø3.0mm X 15 cm
HMI-LS-1456	Ø3.0mm X 20 cm
HMI-LS-1457	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-1458	Ø2.0mm X 15 cm
HMI-LS-1459	Ø2.5mm X 15 cm
HMI-LS-1460	Ø2.5mm x 20 cm
HMI-LS-1461	Ø3.0mm X 15 cm
HMI-LS-1462	Ø3.0mm X 20 cm
HMI-LS-1463	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1464	Ø2.0mm X 15 cm
HMI-LS-1465	Ø2.0mm X 20 cm
HMI-LS-1466	Ø2.0mm X 25 cm
HMI-LS-1467	Ø2.0mm X 30 cm
HMI-LS-1468	Ø2.0mm X 35 cm
HMI-LS-1469	Ø3.0mm X 15 cm
HMI-LS-1470	Ø3.0mm X 20 cm
HMI-LS-1471	Ø3.0mm X 25 cm
HMI-LS-1472	Ø3.0mm X 30 cm
HMI-LS-1473	Ø3.0mm X 35 cm
HMI-LS-1474	Ø4.0mm X 15 cm
HMI-LS-1475	Ø4.0mm X 20 cm
HMI-LS-1476	Ø4.0mm X 25 cm
HMI-LS-1477	Ø4.0mm X 30 cm
HMI-LS-1478	Ø4.0mm X 35 cm
HMI-LS-1479	Ø5.0mm X 15 cm
HMI-LS-1480	Ø5.0mm X 20 cm
HMI-LS-1481	Ø5.0mm X 25 cm
HMI-LS-1482	Ø5.0mm X 30 cm
HMI-LS-1483	Ø5.0mm X 35 cm
HMI-LS-1484	Ø6.0mm X 15 cm
HMI-LS-1485	Ø6.0mm X 20 cm
HMI-LS-1486	Ø6.0mm X 25 cm
HMI-LS-1487	Ø6.0mm X 30 cm
HMI-LS-1488	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Multi Port Harvester – Both End Bevel

A sophisticated, precision-designed harvester that is truly Patient Friendly. The ports in the Sorensen Harvester are machined with alternating 60 degree cutting edges. This unique design is less traumatic than other multi-port harvesters and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm blunt injectors.

60cc Tommey hub

HMI-LS-1489	Ø2.5mm X 15 cm
HMI-LS-1490	Ø2.5mm X 20 cm
HMI-LS-1491	Ø3.0mm X 15 cm
HMI-LS-1492	Ø3.0mm X 20 cm
HMI-LS-1493	Ø3.0mm X 25 cm
HMI-LS-1494	Ø4.0mm X 25 cm
HMI-LS-1495	Ø4.0mm X 30 cm
HMI-LS-1496	Ø4.0mm X 35 cm
HMI-LS-1497	Ø4.5mm X 30 cm
HMI-LS-1498	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1499	Ø3.0mm X 15 cm
HMI-LS-1500	Ø3.0mm X 25 cm
HMI-LS-1501	Ø4.0mm X 15 cm
HMI-LS-1502	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1503	Ø2.0mm X 15 cm
HMI-LS-1504	Ø2.5mm X 15 cm
HMI-LS-1505	Ø2.5mm X 20 cm
HMI-LS-1506	Ø3.0mm X 15 cm
HMI-LS-1507	Ø3.0mm X 20 cm
HMI-LS-1508	Ø3.0mm X 25 cm

Luer lock

HMI-LS-1509	Ø2.0mm X 15 cm
HMI-LS-1510	Ø2.5mm X 15 cm
HMI-LS-1511	Ø2.5mm X 20 cm
HMI-LS-1512	Ø3.0mm X 15 cm
HMI-LS-1513	Ø3.0mm X 20 cm
HMI-LS-1514	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-1515	Ø2.0mm X 15 cm
HMI-LS-1516	Ø2.5mm X 15 cm
HMI-LS-1517	Ø2.5mm X 20 cm
HMI-LS-1518	Ø3.0mm X 15 cm
HMI-LS-1519	Ø3.0mm X 20 cm
HMI-LS-1520	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1521	Ø2.0mm X 15 cm
HMI-LS-1522	Ø2.0mm X 20 cm
HMI-LS-1523	Ø2.0mm X 25 cm
HMI-LS-1524	Ø2.0mm X 30 cm
HMI-LS-1525	Ø2.0mm X 35 cm
HMI-LS-1526	Ø3.0mm X 15 cm
HMI-LS-1527	Ø3.0mm X 20 cm
HMI-LS-1528	Ø3.0mm X 25 cm
HMI-LS-1529	Ø3.0mm X 30 cm
HMI-LS-1530	Ø3.0mm X 35 cm
HMI-LS-1531	Ø4.0mm X 15 cm
HMI-LS-1532	Ø4.0mm X 20 cm
HMI-LS-1533	Ø4.0mm X 25 cm
HMI-LS-1534	Ø4.0mm X 30 cm
HMI-LS-1535	Ø4.0mm X 35 cm
HMI-LS-1536	Ø5.0mm X 15 cm
HMI-LS-1537	Ø5.0mm X 20 cm
HMI-LS-1538	Ø5.0mm X 25 cm
HMI-LS-1539	Ø5.0mm X 30 cm
HMI-LS-1540	Ø5.0mm X 35 cm
HMI-LS-1541	Ø6.0mm X 15 cm
HMI-LS-1542	Ø6.0mm X 20 cm
HMI-LS-1543	Ø6.0mm X 25 cm
HMI-LS-1544	Ø6.0mm X 30 cm
HMI-LS-1545	Ø6.0mm X 35 cm


Let Us know if you could not find what you are looking for



Injector Cannulas

(Micro Injectors)

Let Us know if you could not find what you are looking for



Sharp Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Super Luer Lock	
HMI-LS-1546	Ø1.0 mm x 5 cm
HMI-LS-1547	Ø1.0 mm x 7 cm
HMI-LS-1548	Ø2.0 mm x 15 cm
HMI-LS-1549	Ø2.5 mm x 15 cm
HMI-LS-1550	Ø3.0 mm x 15 cm

Luer lock	
HMI-LS-1551	Ø1.0 mm x 5 cm
HMI-LS-1552	Ø1.0 mm x 7 cm
HMI-LS-1553	Ø2.0 mm x 15 cm
HMI-LS-1554	Ø2.5 mm x 15 cm
HMI-LS-1555	Ø3.0 mm x 15 cm

Luer lock (Stainless Steel)					
3cm		5cm		7cm	
1.1Ø	HMI-LS-1556	HMI-LS-1560	HMI-LS-1564	HMI-LS-1568	HMI-LS-1572
1.4Ø	HMI-LS-1557	HMI-LS-1561	HMI-LS-1565	HMI-LS-1569	HMI-LS-1573
1.8Ø	HMI-LS-1558	HMI-LS-1562	HMI-LS-1566	HMI-LS-1570	HMI-LS-1574
2.0Ø	HMI-LS-1559	HMI-LS-1563	HMI-LS-1567	HMI-LS-1571	HMI-LS-1575



Blunt Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.

Super Luer Lock	
HMI-LS-1576	Ø2.0 mm x 14 cm
HMI-LS-1577	Ø2.5 mm x 15 cm
HMI-LS-1578	Ø3.0 mm x 15 cm

Luer lock	
HMI-LS-1579	Ø2.0 mm x 14 cm
HMI-LS-1580	Ø2.5 mm x 15 cm
HMI-LS-1581	Ø3.0 mm x 15 cm

Luer lock (Stainless Steel)					
3cm		5cm		7cm	
1.1Ø	HMI-LS-1582	HMI-LS-1586	HMI-LS-1590	HMI-LS-1594	HMI-LS-1598
1.4Ø	HMI-LS-1583	HMI-LS-1587	HMI-LS-1591	HMI-LS-1595	HMI-LS-1599
1.8Ø	HMI-LS-1584	HMI-LS-1588	HMI-LS-1592	HMI-LS-1596	HMI-LS-1600
2.0Ø	HMI-LS-1585	HMI-LS-1589	HMI-LS-1593	HMI-LS-1597	HMI-LS-1601



Blunt Tip Injector


Rounded blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp instruments.

Super Luer Lock	
HMI-LS-1602	Ø1.0 mm x 4 cm
HMI-LS-1603	Ø1.0 mm x 5 cm
HMI-LS-1604	Ø1.0 mm x 7 cm
HMI-LS-1605	Curved 12 cm
HMI-LS-1606	Curved 15 cm
HMI-LS-1607	Curved 20 cm

Luer lock	
HMI-LS-1608	Ø1.0 mm x 4 cm
HMI-LS-1609	Ø1.0 mm x 5 cm
HMI-LS-1610	Ø1.0 mm x 7 cm
HMI-LS-1611	Curved 12 cm
HMI-LS-1612	Curved 15 cm
HMI-LS-1613	Curved 20 cm

Luer lock (Stainless Steel)					
3cm		5cm		7cm	
1.1Ø	HMI-LS-1614	HMI-LS-1618	HMI-LS-1622	HMI-LS-1626	HMI-LS-1630
1.4Ø	HMI-LS-1615	HMI-LS-1619	HMI-LS-1623	HMI-LS-1627	HMI-LS-1631
1.8Ø	HMI-LS-1616	HMI-LS-1620	HMI-LS-1624	HMI-LS-1628	HMI-LS-1632
2.0Ø	HMI-LS-1617	HMI-LS-1621	HMI-LS-1625	HMI-LS-1629	HMI-LS-1633

Let Us know if you could not find what you are looking for



 **Fig. 2B**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	HMI-LS-1634	HMI-LS-1638	HMI-LS-1642	HMI-LS-1646	HMI-LS-1650
1.4Ø	HMI-LS-1635	HMI-LS-1639	HMI-LS-1643	HMI-LS-1647	HMI-LS-1651
1.8Ø	HMI-LS-1636	HMI-LS-1640	HMI-LS-1644	HMI-LS-1648	HMI-LS-1652
2.0Ø	HMI-LS-1637	HMI-LS-1641	HMI-LS-1645	HMI-LS-1649	HMI-LS-1653

 **Fig. 1C**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	HMI-LS-1654	HMI-LS-1658	HMI-LS-1662	HMI-LS-1666	HMI-LS-1670
1.4Ø	HMI-LS-1655	HMI-LS-1659	HMI-LS-1663	HMI-LS-1667	HMI-LS-1671
1.8Ø	HMI-LS-1656	HMI-LS-1660	HMI-LS-1664	HMI-LS-1668	HMI-LS-1672
2.0Ø	HMI-LS-1657	HMI-LS-1661	HMI-LS-1665	HMI-LS-1669	HMI-LS-1673

 **Fig. 1P**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	HMI-LS-1674	HMI-LS-1678	HMI-LS-1682	HMI-LS-1686	HMI-LS-1690
1.4Ø	HMI-LS-1675	HMI-LS-1679	HMI-LS-1683	HMI-LS-1687	HMI-LS-1691
1.8Ø	HMI-LS-1676	HMI-LS-1680	HMI-LS-1684	HMI-LS-1688	HMI-LS-1692
2.0Ø	HMI-LS-1677	HMI-LS-1681	HMI-LS-1685	HMI-LS-1689	HMI-LS-1693

 **Fig. 2E**

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	HMI-LS-1694	HMI-LS-1698	HMI-LS-1702	HMI-LS-1706	HMI-LS-1710
1.4Ø	HMI-LS-1695	HMI-LS-1699	HMI-LS-1703	HMI-LS-1707	HMI-LS-1711
1.8Ø	HMI-LS-1696	HMI-LS-1700	HMI-LS-1704	HMI-LS-1708	HMI-LS-1712
2.0Ø	HMI-LS-1697	HMI-LS-1701	HMI-LS-1705	HMI-LS-1709	HMI-LS-1713

Let Us know if you could not find what you are looking for



Colemon Liposuction Cannulas Fig. MIC I

Luer lock (Stainless Steel)								
	3cm	5cm	7cm	10cm	12cm	15cm	20cm	3.5cm
1.1Ø	HMI-LS-1714	HMI-LS-1719	HMI-LS-1724	HMI-LS-1729	HMI-LS-1734	HMI-LS-1739	HMI-LS-1744	HMI-LS-1749
1.4Ø	HMI-LS-1715	HMI-LS-1720	HMI-LS-1725	HMI-LS-1730	HMI-LS-1735	HMI-LS-1740	HMI-LS-1745	HMI-LS-1750
1.8Ø	HMI-LS-1716	HMI-LS-1721	HMI-LS-1726	HMI-LS-1731	HMI-LS-1736	HMI-LS-1741	HMI-LS-1746	HMI-LS-1751
2.0Ø	HMI-LS-1717	HMI-LS-1722	HMI-LS-1727	HMI-LS-1732	HMI-LS-1737	HMI-LS-1742	HMI-LS-1747	HMI-LS-1752
2.5Ø	HMI-LS-1718	HMI-LS-1723	HMI-LS-1728	HMI-LS-1733	HMI-LS-1738	HMI-LS-1743	HMI-LS-1748	HMI-LS-1753



Colemon Liposuction Cannulas Fig. MIC II

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	HMI-LS-1754	HMI-LS-1759	HMI-LS-1764	HMI-LS-1769	HMI-LS-1774	HMI-LS-1779	HMI-LS-1784
1.4Ø	HMI-LS-1755	HMI-LS-1760	HMI-LS-1765	HMI-LS-1770	HMI-LS-1775	HMI-LS-1780	HMI-LS-1785
1.8Ø	HMI-LS-1756	HMI-LS-1761	HMI-LS-1766	HMI-LS-1771	HMI-LS-1776	HMI-LS-1781	HMI-LS-1786
2.0Ø	HMI-LS-1757	HMI-LS-1762	HMI-LS-1767	HMI-LS-1772	HMI-LS-1777	HMI-LS-1782	HMI-LS-1787
2.5Ø	HMI-LS-1758	HMI-LS-1763	HMI-LS-1768	HMI-LS-1773	HMI-LS-1778	HMI-LS-1783	HMI-LS-1788



Colemon Liposuction Cannulas Spoon Tip Fig. MIC III

This tip works well for needle extraction of soft tissue and as a soft tissue re injection needle.

Luer lock (Stainless Steel)							
	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	HMI-LS-1789	HMI-LS-1794	HMI-LS-1799	HMI-LS-1804	HMI-LS-1809	HMI-LS-1814	HMI-LS-1819
1.4Ø	HMI-LS-1790	HMI-LS-1795	HMI-LS-1800	HMI-LS-1805	HMI-LS-1810	HMI-LS-1815	HMI-LS-1820
1.8Ø	HMI-LS-1791	HMI-LS-1796	HMI-LS-1801	HMI-LS-1806	HMI-LS-1811	HMI-LS-1816	HMI-LS-1821
2.0Ø	HMI-LS-1792	HMI-LS-1797	HMI-LS-1802	HMI-LS-1807	HMI-LS-1812	HMI-LS-1817	HMI-LS-1822
2.5Ø	HMI-LS-1793	HMI-LS-1798	HMI-LS-1803	HMI-LS-1808	HMI-LS-1813	HMI-LS-1818	HMI-LS-1823



Little Injector

Open and more pointed blunt tip is very effective in dense and fibrous tissue.

Super Luer Lock	
HMI-LS-1824	Ø1.0 mm x 4 cm
HMI-LS-1825	Ø1.0 mm x 5 cm
HMI-LS-1826	Ø1.0 mm x 7 cm

Luer lock	
HMI-LS-1827	Ø1.0 mm x 4 cm
HMI-LS-1828	Ø1.0 mm x 5 cm
HMI-LS-1829	Ø1.0 mm x 7 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	HMI-LS-1830	HMI-LS-1834	HMI-LS-1838	HMI-LS-1842	HMI-LS-1846
1.4Ø	HMI-LS-1831	HMI-LS-1835	HMI-LS-1839	HMI-LS-1843	HMI-LS-1847
1.8Ø	HMI-LS-1832	HMI-LS-1836	HMI-LS-1840	HMI-LS-1844	HMI-LS-1848
2.0Ø	HMI-LS-1833	HMI-LS-1837	HMI-LS-1841	HMI-LS-1845	HMI-LS-1849





Fig. 1B

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	HMI-LS-1824	HMI-LS-1829	HMI-LS-1834	HMI-LS-1839	HMI-LS-1844	HMI-LS-1849	HMI-LS-1854
1.4Ø	HMI-LS-1825	HMI-LS-1830	HMI-LS-1835	HMI-LS-1840	HMI-LS-1845	HMI-LS-1850	HMI-LS-1855
1.8Ø	HMI-LS-1826	HMI-LS-1831	HMI-LS-1836	HMI-LS-1841	HMI-LS-1846	HMI-LS-1851	HMI-LS-1856
2.0Ø	HMI-LS-1827	HMI-LS-1832	HMI-LS-1837	HMI-LS-1842	HMI-LS-1847	HMI-LS-1852	HMI-LS-1857
2.5Ø	HMI-LS-1828	HMI-LS-1833	HMI-LS-1838	HMI-LS-1843	HMI-LS-1848	HMI-LS-1853	HMI-LS-1858

Curved Injectors




Curved Injectors

New Curved Injectors are designed especially for fat transfer procedures to the body. Their unique shape mimics the anatomical curvature of the female torso and, thus, easily produces the natural-looking results that patients desire. Curved Injection Cannulas ameliorate the fat transfer process by providing a direct and precise route to the injection site and by lessening the time required to correctly sculpt curves.



Speciality Cannulas

Speciality Cannula are useful tools for different to operation are such as face or Neck.



V-Dissector

This cannula is specifically designed for use in the superficial compartment of the truncal area. The cutting notch is very useful for undermining in facial procedures and in dense, fibrous tissue.

60cc Tommey hub

HMI-LS-1859	Ø2.5mm X 15 cm
HMI-LS-1860	Ø2.5mm X 20 cm
HMI-LS-1861	Ø3.0mm X 15 cm
HMI-LS-1862	Ø3.0mm X 20 cm
HMI-LS-1863	Ø3.0mm X 25 cm
HMI-LS-1864	Ø4.0mm X 25 cm
HMI-LS-1865	Ø4.0mm X 30 cm
HMI-LS-1866	Ø4.0mm X 35 cm
HMI-LS-1867	Ø4.5mm X 30 cm
HMI-LS-1868	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1869	Ø3.0mm X 15 cm
HMI-LS-1870	Ø3.0mm X 25 cm
HMI-LS-1871	Ø4.0mm X 15 cm
HMI-LS-1872	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1873	Ø2.0mm X 15 cm
HMI-LS-1874	Ø2.5mm X 15 cm
HMI-LS-1875	Ø2.5mm x 20 cm
HMI-LS-1876	Ø3.0mm X 15 cm
HMI-LS-1877	Ø3.0mm X 20 cm
HMI-LS-1878	Ø3.0mm X 25 cm

Luer lock

HMI-LS-1879	Ø2.0mm X 15 cm
HMI-LS-1880	Ø2.5mm X 15 cm
HMI-LS-1881	Ø2.5mm x 20 cm
HMI-LS-1882	Ø3.0mm X 15 cm
HMI-LS-1883	Ø3.0mm X 20 cm
HMI-LS-1884	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-1885	Ø2.0mm X 15 cm
HMI-LS-1886	Ø2.5mm X 15 cm
HMI-LS-1887	Ø2.5mm x 20 cm
HMI-LS-1888	Ø3.0mm X 15 cm
HMI-LS-1889	Ø3.0mm X 20 cm
HMI-LS-1890	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1891	Ø2.0mm X 15 cm
HMI-LS-1892	Ø2.0mm X 20 cm
HMI-LS-1893	Ø2.0mm X 25 cm
HMI-LS-1894	Ø2.0mm X 30 cm
HMI-LS-1895	Ø2.0mm X 35 cm
HMI-LS-1896	Ø3.0mm X 15 cm
HMI-LS-1897	Ø3.0mm X 20 cm
HMI-LS-1898	Ø3.0mm X 25 cm
HMI-LS-1899	Ø3.0mm X 30 cm
HMI-LS-1890	Ø3.0mm X 35 cm
HMI-LS-1891	Ø4.0mm X 15 cm
HMI-LS-1892	Ø4.0mm X 20 cm
HMI-LS-1893	Ø4.0mm X 25 cm
HMI-LS-1894	Ø4.0mm X 30 cm
HMI-LS-1895	Ø4.0mm X 35 cm
HMI-LS-1896	Ø5.0mm X 15 cm
HMI-LS-1897	Ø5.0mm X 20 cm
HMI-LS-1898	Ø5.0mm X 25 cm
HMI-LS-1899	Ø5.0mm X 30 cm
HMI-LS-1900	Ø5.0mm X 35 cm
HMI-LS-1901	Ø6.0mm X 15 cm
HMI-LS-1902	Ø6.0mm X 20 cm
HMI-LS-1903	Ø6.0mm X 25 cm
HMI-LS-1904	Ø6.0mm X 30 cm
HMI-LS-1905	Ø6.0mm X 35 cm



Flap

The Flap is primarily used as an undermining dissector, and in smaller diameters, for facial tissue removal. The Flap Cannula in a 2.1mm diameter is very useful for undermining the nasolabial fold prior to autologous tissue injections, as well as for tissue removal in this anatomic area.

60cc Tommey hub

HMI-LS-1906	Ø2.5mm X 15 cm
HMI-LS-1907	Ø2.5mm X 20 cm
HMI-LS-1908	Ø3.0mm X 15 cm
HMI-LS-1909	Ø3.0mm X 20 cm
HMI-LS-1910	Ø3.0mm X 25 cm
HMI-LS-1911	Ø4.0mm X 25 cm
HMI-LS-1912	Ø4.0mm X 30 cm
HMI-LS-1913	Ø4.0mm X 35 cm
HMI-LS-1914	Ø4.5mm X 30 cm
HMI-LS-1915	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1916	Ø3.0mm X 15 cm
HMI-LS-1917	Ø3.0mm X 25 cm
HMI-LS-1918	Ø4.0mm X 15 cm
HMI-LS-1919	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1920	Ø2.0mm X 15 cm
HMI-LS-1921	Ø2.5mm X 15 cm
HMI-LS-1922	Ø2.5mm x 20 cm
HMI-LS-1923	Ø3.0mm X 15 cm
HMI-LS-1924	Ø3.0mm X 20 cm
HMI-LS-1925	Ø3.0mm X 25 cm

Luer lock

HMI-LS-1926	Ø2.0mm X 15 cm
HMI-LS-1927	Ø2.5mm X 15 cm
HMI-LS-1928	Ø2.5mm x 20 cm
HMI-LS-1929	Ø3.0mm X 15 cm
HMI-LS-1930	Ø3.0mm X 20 cm
HMI-LS-1931	Ø3.0mm X 25 cm


Luer lock (Stainless Steel)

HMI-LS-1932	Ø2.0mm X 15 cm
HMI-LS-1933	Ø2.5mm X 15 cm
HMI-LS-1934	Ø2.5mm x 20 cm
HMI-LS-1935	Ø3.0mm X 15 cm
HMI-LS-1936	Ø3.0mm X 20 cm
HMI-LS-1937	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1938	Ø2.0mm X 15 cm
HMI-LS-1939	Ø2.0mm X 20 cm
HMI-LS-1940	Ø2.0mm X 25 cm
HMI-LS-1941	Ø2.0mm X 30 cm
HMI-LS-1942	Ø2.0mm X 35 cm
HMI-LS-1943	Ø3.0mm X 15 cm
HMI-LS-1944	Ø3.0mm X 20 cm
HMI-LS-1945	Ø3.0mm X 25 cm
HMI-LS-1946	Ø3.0mm X 30 cm
HMI-LS-1947	Ø3.0mm X 35 cm
HMI-LS-1948	Ø4.0mm X 15 cm
HMI-LS-1949	Ø4.0mm X 20 cm
HMI-LS-1950	Ø4.0mm X 25 cm
HMI-LS-1951	Ø4.0mm X 30 cm
HMI-LS-1952	Ø4.0mm X 35 cm
HMI-LS-1953	Ø5.0mm X 15 cm
HMI-LS-1954	Ø5.0mm X 20 cm
HMI-LS-1955	Ø5.0mm X 25 cm
HMI-LS-1956	Ø5.0mm X 30 cm
HMI-LS-1957	Ø5.0mm X 35 cm
HMI-LS-1958	Ø6.0mm X 15 cm
HMI-LS-1959	Ø6.0mm X 20 cm
HMI-LS-1960	Ø6.0mm X 25 cm
HMI-LS-1961	Ø6.0mm X 30 cm
HMI-LS-1962	Ø6.0mm X 35 cm

Let Us know if you could not find what you are looking for



Field Flap

With its elevated leading edge, this cannula is designed to open and expose soft tissue for more precise suctioning along the mandible and sub-mental areas.

60cc Tommey hub

HMI-LS-1963	Ø2.5mm X 15 cm
HMI-LS-1964	Ø2.5mm X 20 cm
HMI-LS-1965	Ø3.0mm X 15 cm
HMI-LS-1966	Ø3.0mm X 20 cm
HMI-LS-1967	Ø3.0mm X 25 cm
HMI-LS-1968	Ø4.0mm X 25 cm
HMI-LS-1969	Ø4.0mm X 30 cm
HMI-LS-1970	Ø4.0mm X 35 cm
HMI-LS-1971	Ø4.5mm X 30 cm
HMI-LS-1972	Ø4.5mm X 35 cm

Treaded Hub

HMI-LS-1973	Ø3.0mm X 15 cm
HMI-LS-1974	Ø3.0mm X 25 cm
HMI-LS-1975	Ø4.0mm X 15 cm
HMI-LS-1976	Ø4.0mm X 25 cm

Super Luer Lock

HMI-LS-1977	Ø2.0mm X 15 cm
HMI-LS-1978	Ø2.5mm X 15 cm
HMI-LS-1979	Ø2.5mm x 20 cm
HMI-LS-1980	Ø3.0mm X 15 cm
HMI-LS-1981	Ø3.0mm X 20 cm
HMI-LS-1982	Ø3.0mm X 25 cm

Luer lock


HMI-LS-1983	Ø2.0mm X 15 cm
HMI-LS-1984	Ø2.5mm X 15 cm
HMI-LS-1985	Ø2.5mm x 20 cm
HMI-LS-1986	Ø3.0mm X 15 cm
HMI-LS-1987	Ø3.0mm X 20 cm
HMI-LS-1988	Ø3.0mm X 25 cm

Luer lock (Stainless Steel)

HMI-LS-1989	Ø2.0mm X 15 cm
HMI-LS-1990	Ø2.5mm X 15 cm
HMI-LS-1991	Ø2.5mm x 20 cm
HMI-LS-1992	Ø3.0mm X 15 cm
HMI-LS-1993	Ø3.0mm X 20 cm
HMI-LS-1994	Ø3.0mm X 25 cm

Power Cannula

HMI-LS-1995	Ø2.0mm X 15 cm
HMI-LS-1996	Ø2.0mm X 20 cm
HMI-LS-1997	Ø2.0mm X 25 cm
HMI-LS-1998	Ø2.0mm X 30 cm
HMI-LS-1999	Ø2.0mm X 35 cm
HMI-LS-2000	Ø3.0mm X 15 cm
HMI-LS-2001	Ø3.0mm X 20 cm
HMI-LS-2002	Ø3.0mm X 25 cm
HMI-LS-2003	Ø3.0mm X 30 cm
HMI-LS-2004	Ø3.0mm X 35 cm
HMI-LS-2005	Ø4.0mm X 15 cm
HMI-LS-2006	Ø4.0mm X 20 cm
HMI-LS-2007	Ø4.0mm X 25 cm
HMI-LS-2008	Ø4.0mm X 30 cm
HMI-LS-2009	Ø4.0mm X 35 cm
HMI-LS-2010	Ø5.0mm X 15 cm
HMI-LS-2011	Ø5.0mm X 20 cm
HMI-LS-2012	Ø5.0mm X 25 cm
HMI-LS-2013	Ø5.0mm X 30 cm
HMI-LS-2014	Ø5.0mm X 35 cm
HMI-LS-2015	Ø6.0mm X 15 cm
HMI-LS-2016	Ø6.0mm X 20 cm
HMI-LS-2017	Ø6.0mm X 25 cm
HMI-LS-2018	Ø6.0mm X 30 cm
HMI-LS-2019	Ø6.0mm X 35 cm



Super Luer Lock

The Super Luer Lock is on our Single-use instruments.



Tumescant Infiltrator

This cannula is used specifically for the infusion of tumescant solution and for hydraulic dissection. the configuration of the ports allows even distribution of the fluid.

- HMI-LS-2020 Ø2.0mm x 12cm
- HMI-LS-2021 Ø 2.0 mm x 20cm



Tonnard Harvester

A multiport harvester with 1 mm elevated sharp microports. The 20 port configuration allows for harvesting both on the forward and backward strokes.

- HMI-LS-2022 Ø3.0mm x 20cm
- HMI-LS-2023 Ø 2.4 mm x 20cm



Tonnard Harvester

Excellent for harvesting small aliquots of tissues.

- HMI-LS-2024 Ø2.5mm x 15cm
- HMI-LS-2025 Ø 2.0 mm x 15cm



Carraway Harvester

Spiral three port design effective for multi-plane tissue harvesting.

- HMI-LS-2026 Ø2.5mm x 15cm
- HMI-LS-2027 Ø 2.0 mm x 10cm
- HMI-LS-2028 Ø2.0mm x 15cm
- HMI-LS-2029 Ø 1.5 mm x 8cm
- HMI-LS-2030 Ø1.5mm x 10cm



Injector

Round blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp injectors.

- HMI-LS-2031 Ø 1.5 mm X 9cm
- HMI-LS-2032 Ø 1.5 mm X 7cm
- HMI-LS-2033 Ø 1.0 mm X 5cm
- HMI-LS-2034 Ø 1.0 mm X 4cm



Spoon Tip Injector

Blunt injector designed with a more open port for rapid injection of larger volumes - a torso and buttock workhorse.

- HMI-LS-2035 Ø3.0mm x 20cm
- HMI-LS-2036 Ø 2.0 mm x 15cm



Miller Speed Harvester

- HMI-LS-2037 Ø 2.0 mm x 15cm

Let Us know if you could not find what you are looking for

Liposuction Accessories

Handles

Connectors

- a) Luer to Luer
- b) Luer to Handle

Transfer Adapters

- a) Luer to Luer 1.2mm
Luer to Luer 1.4mm
Luer to Luer 2.4mm
- b) Anaerobic Transfer
- c) Micro to Nano

Snap Lock

- a) Standard Snap Locks
60cc, 20cc 10cc
- b) Snap Lock

Fat Transfer Gun

Decanting Stands

Sterilization Boxed

Anaerobic Transfer

Handles for Cannulas



Handles for Cannulas

HMI-LS-2040

with connection thread for cannulas hose connection



HMI-LS-2041

with connection thread for cannulas hose connection



HMI-LS-2042

with connection thread for cannulas hose connection



HMI-LS-2043

with connection thread for cannulas hose connection



HMI-LS-2044

Trocar

The Trocar is a percutaneous punch that is used to make a eussit dna noitartlfini ot roirp noisicni laitnerefmucric extraction. It is designed to maintain a tight seal while minimizing scarring.



Anaerobic Transfer

Nano Transfer

HMI-LS-2045

NanoTransfer



HMI-LS-2046

Mesh for Nano Transfer



Anaerobic Transfers

- HMI-LS-2047
- HMI-LS-2048
- HMI-LS-2049

- Luer 1.2mm
- Luer 1.4mm
- Luer 2.4mm



Let Us know if you could not find what you are looking for

HMI-LS-2050

Luer to Luer



Decant Stands

HMI-LS-2051
HMI-LS-2052

60cc to Luer
Luer to Luer



SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.

HMI-LS-2053 60cc
HMI-LS-2054 50cc
HMI-LS-2055 30cc
HMI-LS-2056 20cc
HMI-LS-2057 10cc



Let Us know if you could not find what you are looking for

Anaerobic Transfer



Universal Power Injector

HMI-LS-2058 Universal Fat Injector 10cc & 20cc Two in One

HMI-LS-2059 Fat Injector 60cc



Fat Syringe


HMI-LS-2060

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or a 60cc Monoject syringe.



Sterilization Box

HMI-LS-2061



Syringe Decanting and Injection

HMI-LS-2061	60cc
HMI-LS-2062	50cc
HMI-LS-2063	30cc
HMI-LS-2064	20cc
HMI-LS-2065	10cc

Single Mercedes Three Ports Cannula

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.



AVAILABLE SIZES			
3.0mm x 20cm	HMI-LS-2066	3.5mm x 35cm	HMI-LS-2073
3.0mm x 25cm	HMI-LS-2067	4.0mm x 25cm	HMI-LS-2074
3.0mm x 30cm	HMI-LS-2068	4.0mm x 30cm	HMI-LS-2075
3.0mm x 35cm	HMI-LS-2069	4.0mm x 35cm	HMI-LS-2076
3.5mm x 20cm	HMI-LS-2070	5.0mm x 25cm	HMI-LS-2077
3.5mm x 25cm	HMI-LS-2071	5.0mm x 30cm	HMI-LS-2078
3.5mm x 30cm	HMI-LS-2072	5.0mm x 35cm	HMI-LS-2079

Double Mercedes Six Ports Cannula

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.



AVAILABLE SIZES			
3.0mm x 20cm	HMI-LS-2080	3.5mm x 35cm	HMI-LS-2087
3.0mm x 25cm	HMI-LS-2081	4.0mm x 25cm	HMI-LS-2087
3.0mm x 30cm	HMI-LS-2082	4.0mm x 30cm	HMI-LS-2088
3.0mm x 35cm	HMI-LS-2083	4.0mm x 35cm	HMI-LS-2089
3.5mm x 20cm	HMI-LS-2084	5.0mm x 25cm	HMI-LS-2090
3.5mm x 25cm	HMI-LS-2085	5.0mm x 30cm	HMI-LS-2091
3.5mm x 30cm	HMI-LS-2086	5.0mm x 35cm	HMI-LS-2092

Single Basket Liposuction Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer with vacuum or without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures.



AVAILABLE SIZES

3.0mm x 20cm	HMI-LS-2093	3.5mm x 35cm	HMI-LS-2100
3.0mm x 25cm	HMI-LS-2094	4.0mm x 25cm	HMI-LS-2101
3.0mm x 30cm	HMI-LS-2095	4.0mm x 30cm	HMI-LS-2102
3.0mm x 35cm	HMI-LS-2096	4.0mm x 35cm	HMI-LS-2103
3.5mm x 20cm	HMI-LS-2097	5.0mm x 25cm	HMI-LS-2104
3.5mm x 25cm	HMI-LS-2098	5.0mm x 30cm	HMI-LS-2105
3.5mm x 30cm	HMI-LS-2099	5.0mm x 35cm	HMI-LS-2106

Double Basket Liposuction Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer with vacuum or without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures.



AVAILABLE SIZES

3.0mm x 20cm	HMI-LS-2107	3.5mm x 35cm	HMI-LS-2114
3.0mm x 25cm	HMI-LS-2108	4.0mm x 25cm	HMI-LS-2115
3.0mm x 30cm	HMI-LS-2109	4.0mm x 30cm	HMI-LS-2116
3.0mm x 35cm	HMI-LS-2110	4.0mm x 35cm	HMI-LS-2117
3.5mm x 20cm	HMI-LS-2111	5.0mm x 25cm	HMI-LS-2118
3.5mm x 25cm	HMI-LS-2112	5.0mm x 30cm	HMI-LS-2119
3.5mm x 30cm	HMI-LS-2113	5.0mm x 35cm	HMI-LS-2120

Pyramid Style Three Ports Cannula

This Cell Friendly commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.



AVAILABLE SIZES			
3.0mm x 20cm	HMI-LS-2121	3.5mm x 35cm	HMI-LS-2128
3.0mm x 25cm	HMI-LS-2122	4.0mm x 25cm	HMI-LS-2129
3.0mm x 30cm	HMI-LS-2123	4.0mm x 30cm	HMI-LS-2130
3.0mm x 35cm	HMI-LS-2124	4.0mm x 35cm	HMI-LS-2131
3.5mm x 20cm	HMI-LS-2125	5.0mm x 25cm	HMI-LS-2132
3.5mm x 25cm	HMI-LS-2126	5.0mm x 30cm	HMI-LS-2133
3.5mm x 30cm	HMI-LS-2127	5.0mm x 35cm	HMI-LS-2134

Accelerator Three Port Cannula

This Cell Friendly commonly used design has three ports located 180 degrees from the thumb print actually a reverse shape of pyramid style cannulas with pointed tip. It is a slightly more aggressive cannula than the Standard during liposuction procedures.



AVAILABLE SIZES			
3.0mm x 20cm	HMI-LS-2135	3.5mm x 35cm	HMI-LS-2142
3.0mm x 25cm	HMI-LS-2136	4.0mm x 25cm	HMI-LS-2143
3.0mm x 30cm	HMI-LS-2137	4.0mm x 30cm	HMI-LS-2144
3.0mm x 35cm	HMI-LS-2138	4.0mm x 35cm	HMI-LS-2145
3.5mm x 20cm	HMI-LS-2139	5.0mm x 25cm	HMI-LS-2146
3.5mm x 25cm	HMI-LS-2140	5.0mm x 30cm	HMI-LS-2147
3.5mm x 30cm	HMI-LS-2141	5.0mm x 35cm	HMI-LS-2148

Specialized Suggested Sets

Healermmed cannulas sets are designed to enhance surgeons capabilities for various procedures. Cell friendly Titanium Nitride coated SUPOR luer-lock connector are combined to serve you better.



Fat transfer set for face

Set Includes

01. Infiltrator Cannulas, Straight, SUPOR Luer Lock 2.0mm x 20cm [01 piece]
02. Multi Hole Harvester Cannula with Beveled 2.5mm x 20cm [01 piece]
03. Blunt Tip Small Single Hole Injecting Cannula, SUPOR Luer-Lock 0.7mm x 4.5cm [01 piece]
04. Blunt Tip Small Single Hole Injecting Cannula, SUPOR Luer-Lock 0.9mm x 5.5cm [01 piece]
05. Blunt Tip Small Single Hole Injecting Cannula, SUPOR Luer-Lock 1.2mm x 7.5cm [01 piece]
06. Decant Stand & Anaerobic Transfer Luer to Luer [01 piece]
07. Syringe Stop Lock for 10cc syringes [01 piece]
08. Syringe Stop Lock for 20cc syringes[01 piece]

HMI-LS-2149




Fat transfer set for breasts

Set Includes

01. Infiltrator Cannulas, Straight, SUPOR Luer Lock 2.0mm x 20cm [01 piece]
02. Microport Aggressive Harvester Cannula with Beveled parts, SUPOR Luer lock, 3.0mm x 20cm [01 piece]
03. Spoon Tip Hole Injecting Cannula, SUPOR Luer-Lock 1.6mm x 10cm [01 piece]
04. Spoon Tip Hole Injecting Cannula, SUPOR Luer-Lock 2.0mm x 15cm [01 piece]
05. Spoon Tip Hole Injecting Cannula, SUPOR Luer-Lock 2.5mm x 20cm [01 piece]
06. Decant Stand & Anaerobic Transfer Luer to Luer [01 piece]
07. Syringe Stop Lock for 20cc syringes [01 piece]
08. Syringe Stop Lock for 50cc syringes[01 piece]

HMI-LS-2150



Cannulas Set for Buttock Reshaping And Body Contouring

Set Includes

01. Single Mercedes SUPOR Handle Cannulas
3.5mm x 20cm [01 piece]
02. Single Mercedes SUPOR Handle Cannula
4.0mm x 25cm [01 piece]
03. Spoon Tip Injecting Cannula, SUPOR Luer-Lock
1.6mm x 10cm [01 piece]
04. Spoon Tip Injecting Cannula, SUPOR Luer-Lock
2.5mm x 15cm [01 piece]
05. Spoon Tip Injecting Cannula, SUPOR Luer-Lock
3.0mm x 15cm [01 piece]
06. V-Dissector, SUPOR Luer-Lock 1.6mm x 10cm [01 piece]
07. V-Dissector, SUPOR Luer-Lock 3.0mm x 15cm [01 piece]

HMI-LS-2151



Thank you for going through Catalog



www.healermedinstruments.com

Email: Healermedins@gmail.com

Whatsapp & Call: +92 3034515151